

BOBET matériel

Abattoir equipment, packaging



CATALOGUE

Supplies
For food industries
Since 1978

www.bobet-materiel.com

BOBET matériel



A sales force close to you

Our **36 sales people** travel all over France to serve you

7 sedentary sales assistants and a **24-hour** merchant website

Powerful logistics

More than 9000 references are stored on
almost **40 000 m³**
Delivery in **48-72h** all over France



STAINLESS STEEL work

In our boiler shop of more than **3000m²**,
we manufacture more than **5000 customized**
products per year.

7 product families to meet all your requests



Hygiene



Cutlery



Catering



PPE



Maintenance



Stainless steel



Detectable



To serve you better, Bobet Matériel is committed to the CSR approach on a daily basis. We are committed to continuing our efforts to respect our employees, our customers and the environment.



Summary



MATADOR SLAUGHTERING PISTOL	E1
SLAUGHTERING MATERIAL	E4
MINCERS	E8
MARKING SEALS TIES	E10
KNIFE HOLDER AND HYGIENE BOXES	E22
THERMOMETERS	E26
S-HOOKS AND MEAT HOOKS	E31
STRINGS NETTINGS ELASTIC BANDS	E34
ACCESSORIES FOR CATERING TRADE ..	E40
GASTRO FOOD PANS	E96
DECORATION AND PRESENTATION	E98
PACKAGING	E110
FLY KILLERS	E119
CONTAINERS AND TROLLEYS	E120
VARIOUS MATERIALS	E123

BOBET
matériel



Abattoir equipment, packaging



BOBET
matériel

Matador® SS3000 slaughtering pistol (Code : 16366)

Matador® SS3000 slaughtering pistol long version (Code : 21810)



The MATADOR® is a slaughtering pistol with a captive pin using explosive cartridges calibre 6.3/12. It is used for the slaughtering of animals such as calves, sheeps, horses and other animals of the same size. It is made of a gun and a handle connected by a rocking head.


When the trigger is pushed, explosion of the cartridge generate gas that pushes the pin at 50m/s (180km/h). The MATADOR® is in contact with the head of the animal and the pin will penetrate the brain. The animal is immediately anesthetized and must be bled as soon as possible.

ADVANTAGES OF THE LONG VERSION – BOBET CODE 21810 :

- Its shape, extended of 15 mm (compared to the standard Matador® code Bobet 16366) enables to optimize the pin speed on the impact point and so to improve the effectiveness of stunning of large animals
- The power remains the same, or very slightly lower (compared to the standard Matador®). The power of the tool is produced by the cartridge.
The objective is to shift the "speed curve with respect to the output of the pin", i.e. get the maximum speed when the pin hits the bony part of the animal. A heavier and older animal will have its bony part further from the top of the skull (leather, grease and sinus)
- This version is more dedicated to large animals (absolutely not suitable for small cattle)
- The standard Matador® can be changed in long version by replacing the barrel extension 916 (code BOBET 12432) by an extension 916L (code BOBET 21811) and the pin 917 (code BOBET 7374) by a pin 917L (code BOBET 21812). You have also to add an elastomer ring 922 (code BOBET 7379). It is recommended to keep a trace of this changing to be able to keep the traceability of the tool in case of need.

TERMET

ABATTOIR EQUIPMENT, PACKAGING



Rep.	Désignation	Quantité	Code Bobet
900	Handgrip	1	21171
901B	Safety handgrip	1	15640
902	Percussion trigger	1	10642
903	Percussion hammer	1	7360
904	Hammer spring	1	7361
905R	Trigger spring	1	20995
906	Cartridges firing pin	1	7363
907B	Ejection base-holder	1	15641
908	Holding pin	2	10644
909B	Locking spring	1	15642
910+915	Bolt of gas chamber + Muffer barrel	1	15443
911	Rush of bolt	1	7368
912	Rocking head	1	10647
913	Coupling sleeve	1	10648
914	Coupling pins	2	7371
916	Barrel extension for standard version	1	12432
916L	Barrel extension for long version	1	21811
917	Punching pin for version standard	1	7374
917L	Punching pin for long standard	1	21812
918	Pinhead rush	1	7375
919	Tightness plate	1	7376
920BR	Rear protection washers brown	1	7377
920BL	Rear protection washers blue	1	12417
921	Front protection washers	2	7378
922	Elastomer rings for standard version	10	7379
922	Elastomer ring for long version	11	7379
923	Locking seam	1	7380
924	Cocking stream	1	7381
925B	Locking ball	1	15648
931	Ring for handgrip	1	21172
	Tools set maintenance	0	15651



BOBET
matériel

MATADOR SLAUGHTERING PISTOL



Cartridges for Matador pistol

Cartridges for Matador slaughtering pistol. Caliber 25 (6.3/12). Blue cartridges recommended for the slaughtering of calves, heifers and cows under 450 kg and horses. Red cartridges are recommended to animals over 450 kg. Black cartridges are only for big cattle with important conformations and resistance (mountain animals) and only for bulls and young cattle. Blue, red (only boxes of 500) and black cartridges can be used with the Matador SS3000 (code 16366). For the Matador 2BIS only red cartridges must be used.



	Code
BLACK BOX 100	15041
BLACK BOX 500	15042
RED BOX 100	11986
RED BOX 500	7353
BLUE BOX 500	17859



SLAUGHTERING MATERIAL

Sharpshock Prodder

The Sharpshock Prodder is an electric stimulation device with a rechargeable battery. A discharge lasting 2 seconds is produced when the 2 moveable electrodes make contact with the animal. The code 21131 (kit) includes a complete set comprising of: a handle + an extension rod of 58 cm + a battery + a loader. The handles, extension rods and batteries can be ordered separately (code 21132 to 21133)

	Code
PRODDER KIT 58CM	21131
HANDLE	21132
EXTENSION 33CM	21133
EXTENSION 58CM	21134
BATTERY + LOADER	21135



Robset black prodder

The Robset prodder is an electric device with 1.5 V tubular battery, with push-button. Designed to reach animals through grids or netting. Available in two lengths. Colour : black.

	Code
60CM	17594
90CM	17595



Schermer prodder

The Schermer prodder is an electric device with 1.5 V tubular battery. A 2-second electrical discharge happens when the 2 electrodes are in contact with the animal. 75 cm extension separately sold (code Bobet 20623).

	Code
PRODDER	20622
EXTENSION	20623



Hog whip

The hog whip is a driving instrument which enables to quickly move animals while limiting stress. So the meat remains healthy and high-quality.

	Code
-	6550





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Flat torch

Sealing torch with flat flame. Rear air hose. At 4 bars, power 151 kW and consumption 11000 g/h. Operates with propane or butane gas. Fits the handle (code 17112).



Code	
-	2131



Round torch

Sealing torch with round flame, in stainless steel. Burner diameter : 50 or 60 mm. Operates with propane or butane gas. Fits the handle (code 17112).



Code	
D50	17110
D60	17111



Handle for torches

Handle with swivel attachment for hose inner diameter 8 mm. Fits the torches code 17110, 17111 and 2131. Coupling separately sold (code 16990), can be fixed on gas pipes to be thus screwed on the handle of torches.



Code	
-	17112



Coupling for torch

Coupling for torch including a fluted coupling + a nut 3/8G + a clip D.8 mm.



Code	
-	16990



Trocart knife

For hygienic collection of the blood. Stainless steel body and blade. Supplied with one removable blade for horizontal bleeding and 3 meters of polyurethane hose diameter 32 mm.



Code	
-	17663



7-star hog scraper

7-star hog scraper (beater pads) designed for use in de-hairing machines to remove hair from pigs. Industry standard product. A 5-ply fabric wedge delivers extra stiffness and longer life. Dimensions : 101.6x228.6 mm.

Code	
-	2166



Premium-Volker hog scraper

Premium-Volker hog scraper are designed for use in de-hairing machines to remove hair from pigs. This hog scraper allows the most particular applications, it efficiently reduces scraping costs, longer life, reduced maintenance costs. Dimensions : 101.6 x 228.6 mm.

Code	
-	20578



Hog polishing whip

For use in de-hairing machines to polish white or black before or after oven. Length : 420 mm. Hole diameter : 10 mm. Colour : Natural

Code	
-	10616



Spinal cord kit for lamb

Spinal cord kit including : 3 plastic stems of different diameters, 1 scraper blade and 1 container.



Code	
-	21480



BSE spoon

To remove brainstem of cattle or sheeps within the context of BSE screening for medical or veterinary tests. 1000 spoons in a carton.



Code	
CATTLE	10693
SHEEPS	11334





PLATES AND KNIVES FOR MINCERS LICO STANDARDS

Stainless steel Lico plate

Stainless steel plate, heat treated to get maximum hardness and total regularity of tempering.



Type	Plate Ø (mm)	Holes Ø (mm)	Code Bobet
R	70	00	5599
R	70	10	9670
R	70	13	5598
R	70	16	9671
R	70	20	9672
R	70	3	5596
R	70	4	9667
R	70	5	5597
R	70	6	9668
R	70	8	9669
H	82	00	5605
H	82	10	9676
H	82	13	5604
H	82	16	9677
H	82	2	5601
H	82	20	9678
H	82	3	5602
H	82	4	9673
H	82	5	5603
H	82	6	9674
H	82	8	9675
A	90	00	5611
A	90	10	4243
A	90	13	5610
A	90	3	5608

Type	Plate Ø (mm)	Holes Ø (mm)	Code Bobet
A	90	4	4240
A	90	5	5609
A	90	6	4241
A	90	8	4242
B	98	00	5617
B	98	1,5	5612
B	98	10	4338
B	98	13	5616
B	98	16	4339
B	98	2	5613
B	98	20	4340
B	98	3	5614
B	98	4	4335
B	98	5	5615
B	98	6	4336
B	98	8	4337
D	114	00	5629
D	114	10	9682
D	114	13	5628
D	114	16	9683
D	114	2	5625
D	114	20	9684
D	114	3	5626
D	114	4	9679

Type	Plate Ø (mm)	Holes Ø (mm)	Code Bobet
D	114	5	5627
D	114	6	9680
D	114	8	9681
E	130	00	5635
E	130	1,5	5630
E	130	10	4334
E	130	13	5634
E	130	16	4287
E	130	2	5631
E	130	20	4288
E	130	3	5632
E	130	4	4331
E	130	5	5633
E	130	6	4332
E	130	8	4333
GU	160	00	5647
GU	160	10	9688
GU	160	13	5646
GU	160	16	9689
GU	160	20	9690
GU	160	3	5644
GU	160	4	9685
GU	160	5	5645
GU	160	6	9686
GU	160	8	9687

Stainless steel Lico knife

Stainless steel knife (3, 4 or 5 edges), self-sharpening, interchangeable, with blades.



Type	Diameter (mm)	Number of edges	Code Bobet
R	70	3	5654
H	82	3	5655
A	90	3	5656
B	98	3	5657
C	106	3	5658
D	114	3	5659
E	130	4	11458
E	130	5	5660
GU	160	4	11459
GU	160	5	5662

Replacement blade and screw



Type	Type	Number of pieces/box	Code Bobet
Blades	A	9	5666
Blades	B	9	5667
Blades	C,D	9	5669
Blades	E	10	5670
Blades	GU	5	5672
Blades	H	9	5665
Blades	R	9	5664
Screws	A, B, H, R	5	5674
Screws	C, D, E, J	5	5679
Screws	GU, FW	5	5682



MINCERS

Stainless steel hydraulic stuffer 25 liters

Hydraulic stuffer 25 liters. Cover with double clamp and stainless steel piston with an O-ring. Independant hydraulic unit, closed circuit, with stainless steel tank. Front handle allowing the double function of protection of controls and moving. Capacity : 25 liters (i.e. around 20 kg). Fit with 3 nozzles : 14, 20 and 33 mm. Power : 400V three-phase (50 HZ).



Code	
-	20693



Electric mincer D82 DRC22L

Electric meat mincer DRC22L. Stainless steel body, diameter 82 mm (Enterprise system), simple cut, 1 CV/HP. Powerful reducing. Supplied with 1 plate diameter 3.5 mm. Easy assembly, disassembly and cleaning of the body. Flow : 170kg/hour. Ideal for processing minced meat, sausages, pates... Designed for catering, communities, food laboratories, cafeterias, artisanal butchers...



Code	
-	23488



Electric meat mincer N°82 Diameter 82 mm

Electric meat mincer N°82. In stainless steel, diameter 82 mm (Unger 3 system), double cut, 1.5 CV. Powerful reducing. Supplied with 1 pre-cut plate, 1 double-cut knife and 1 plate diameter 3 mm. Easy assembly, disassembly and cleaning of the body. Flow : 350kg/hour. Power : 220-240V single-phase (50 Hz). Ideal for processing minced meat, sausages, patés... Designed for catering, communities, food laboratories, cafeterias and artisanal butchers...



Code	
-	20692



Cast manual meat mincer with clamp

Cast manual meat mincer N°10 with clamp.

Code	
-	15567





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stainless steel knife

Stainless steel knife, 4 edges, sharpening blade.



	Code
N°8 D62	15711
N°10/12 D70	15712
N°20/22 D82	15713
N°32 D100	15714



Funnel for mincer

Nylon funnel.

	Code
N°8 in62 out20	8688
N°8 in62 out25	8861
N°10 in70 out20	6714
N°10 in70 out25	6715
N°20 in82 out20	8690
N°20 in82 out25	8691



BOBET
matériel

MARKING SEALS TIES

Modular numberer

The ergonomic shape of the handle insures an excellent grip. Includes 4 bands. Detail of each band : 10 numbers (from 0 to 9), then a point and a blank. Numbers height : 15 mm. The system is evolutive as the addition of the set (code Bobet 4031) enables to get the required number of bands. Each set includes a box, a band, a wheel and two extensions axles.



	Code
NUMBERER	8402
SET	4031



Industrial numberer

Industrial numberer. Just by using side buttons, the bands individually rotate. A click system enables to get a perfect and fast characters alignment. Including 3 to 5 bands (depending on the model). Detail of each band : 10 numbers (from 0 to 9). Different models available : 3, 4 or 5 bands and numbers height 20, 30, 40 or 50 mm.



	Code
3 BANDS LG.30	3796
4 BANDS LG.20	3794
4 BANDS LG.30	3797
4 BANDS LG.40	3800
4 BANDS LG.50	3803
5 BANDS LG.20	3795
5 BANDS LG.30	3798



Spare band for industrial numberer

Spare band for industrial numberer. Characters height : 30 or 50 mm.



	Code
H30	9707
H50	9708

BOBET
matériel

OFIVAL marker

Classifying marker for carcasses (cattle, calves and sheeps). Characters height : 30 mm. Fit with a telescopic handle. Including 6 bands (in compliance with the regulation of December 20th, 2010) i.e. : 1st band : ZVSL, 2nd band : ABCDE, 3rd band : 01234, 4th band : EUROP, 5th band : +=- and 6th band : 12345.



	Code
-	15602



Spare parts for OFIVAL marker

Spare parts for the OFIVAL marker (code 15602).



	Code
BAND OFIVAL +=-	5269
BAND OFIVAL 12345	17744
BAND OFIVAL ABCDE	5773
BAND OFIVAL EUROP	2198
BAND OFIVAL ZVSL	14943
AXLE	4199
EXT WHEEL	2193
MIDDLE WHEEL	2194
MIDDLE RING	2195

BOBET
matériel



ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Eggs marking set

Including a pad with plastic handle, an inker and a 50 ml bottle of food ink (red, blue or black). The pad is to be personalized : 7 positions (1 number, 2 letters, 4 numbers).



Code	
-	12852




Felt inking pad plastic frame

Felt pad without ink. Dimensions : 160x90 mm. To be used especially with our food inks.



Code	
-	5750



Felt inking pad wood frame

Felt pad without ink. Dimensions : 250x180 mm. To be used especially with our food inks.



Code	
-	6063



Foam for MIC inker

Foam for inker. Dimensions : L.155 x W.65 x H.15 mm.



Code	
-	8066



Food grade ink

Food grade ink for meat marking. Available in can of 0.8 or 4.5 liters and in red, brown, blue, green and black.



Code	
BLUE 0.8L	17754
BROWN 0.8L	17756
RED 0.8L	17759
BLUE 4.5L	17755
BROWN 4.5L	17757
RED 4.5L	17760
GREEN 4.5L	17761
BLACK 4.5L	17758



Methylene blue

Blue powder to be diluted in water for bones denaturation. Sold in 1 kg bucket.

	Code
-	5787



Tartrazine

Dying or denaturation of material highly hazardous to incinerate. Yellow powder, to be diluted in water. In 5 kg buckets.

	Code
-	10695



Meat marker

Meat marker (pen of wax, paraffin oil and colours) used for short marking specially of cattle, sheeps and pigs. Available in different colours : black, purple, blue, red, green and yellow.

	Code
RED	2064
GREEN	2065
BLUE	2063
BLACK	2061
PURPLE	2062
YELLOW	4990



Aerosol marker

Aerosol meat marker. Used to mark cattle, pigs, sheeps, goats, poultry. Available in blue, red or green.

	Code
BLUE	11273
RED	11272
GREEN	11274



FABER pencil

FABER meat marking pencil. Available in 2 colours : blue and brown. Box of 12 pencils.

	Code
BROWN	2069
BLUE	6304





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Food safe greasy wax blue pencil

Greasy wax blue pencil. To write on any support as bones, glass, polystyrene... 12 pencils in a box.

Code	
-	20621



White chalk marker

White chalk marker (water-based) to write on boards, slates, plastics, glasses, plexi, lighted signs... Erase simply with a damp cloth. Box of 6.

Code	
-	20071



White erasable marker (x3)

White marker, thin tip. Recommended supports : plastics and glass. Box of 3 markers

Code	
-	25226



Black erasable pencil

Black marker, medium point. Recommended materials : plastics and glass. Box of 10.



Code	
-	20714



Pneumatic engraver

Pneumatic engraver pen fit with a medium tip (radius 0.35 mm). Ideal for all thinnest works on any kind of surface (metal, wood, glass, plastic...). Requires a minimum lubrication (a drop of oil every day in the air intake is necessary for a standard use). To be connected on a source of compressed air flowing 6 to 7 kg/cm² maximum. Supplied with 2.5 meter black hose with coupling 1/4 male. The medium tip is available in spare part : code 7038.

Code	
ENGRAVER	6048
MEDIUM TIP	7038



BOBET
material

Standard tag gun

Standard gun, standard needle. Automatic, for nylon tags fastening (different models available).

Code	
-	15033



Tag gun Banok 503 S

Standard tag gun Banok 503 S, standard needle. Automatic, for nylon tags (different models available).

Code	
-	17612



Needle for Banok gun (box of 5)

Steel or stainless steel needle for Banok gun. Packed in box of 5 pieces. Available in standard, long or heavy duty version.

Code	
STANDARD STEEL	2138
HEAVY DUTY STEEL	2139
LONG STEEL	2142
STANDARD ST.STEEL	17743



Mark III tag gun

Standard Mark III tag gun, knife integrated into the needle. Automatic, for nylon tags fastening (different models available).

Code	
-	15990



Needle for Mark III gun (box of 5)

Steel needle for Mark III gun with integrated knife. Packed in box of 5 pieces.

Code	
-	15991





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Mark III AGRO tag gun

Mark III AGRO tag gun, stainless steel needle with integrated knife. Resistant to corrosion. Several drainage holes to enable a fast and easy waste disposal. To be used with : green nylon tag fasteners 17.4 mm with 2 paddles (code 21894), green nylon tag fasteners 45 mm with 2 paddles (code 11646) and blue nylon tag fasteners 20 mm with 1 paddle (code 4454). Replacement needle : code Bobet 20395.

Code	
-	20393



Needle for Mark III AGRO gun (box of 5)

Short needle for Mark III AGRO tag gun (code 20393). Packed in box of 5 pieces.


Code	
-	20395



Green nylon tag fastener Mark III AGRO (box of 1000)

Green nylon tag fastener with double paddle. Filament length : 17.4 mm. Food safe. 1000 units in a box. Only to be used with the Mark III AGRO tag gun (code 20393).

Code	
-	21894



Nylon tag fastener (box of 5000)

Nylon tag fastener. Food safe. Available in different dimensions and colours. Packed in carton of 5000 pieces.

Code	
GREEN 15MM	10516
GREEN 20MM	9238
GREEN 25MM	10517
BLUE 20MM	4454



Green nylon tag fastener double paddle (bag of 1000)

Green nylon tag fastener with double paddle. Filament length : 45 mm. Food safe. Packed in carton of 1000 pieces.

Code	
-	11646



Green nylon tag fastener round paddle (box of 5000)

Nylon tag fastener, round paddle. Filament length : 18 mm. Food safe. Packed in carton of 5000 pieces.

Code	
-	17745



Chevifix white bare ear tag

Chevifix ear tag in lacquered steel. Sold bare, i.e. without marking. Enables an easy tracking of animals to sort, on a market... Colour : white. Packed in box of 100 pieces.



Code	
-	9760



Bare tags

Tags in soft plastic. Bare, i.e. without marking. Hole for the crossing of the nylon tag. Food safe. Colour : white or yellow. Packed in box of 1000 pieces.



Code	
PVC WHITE /1000	23304
YELLOW /1000	23305



Labels with steel wire

Paper labels. Without printing. Cut corners and reinforcement eyelet. Practical thanks to its steel bond. Packed in box of 1000 pieces.



Code	
-	8290



Traceability label

Traceability label, in polypropylene. Resists to chemicals, water, grease and acids. Resistant to heat up to 120°C and cold down to -30°C. Possibility to write on it with pen, felt, pad... Available in different colours and different dimensions.



	Code
SM WHITE	17410
MM WHITE	17396
LM WHITE	17153
SM BLUE	17411
MM BLUE	17397
LM BLUE	17151
SM RED	17412
MM RED	17398
LM RED	17152
SM GREEN	17413
MM GREEN	17399
LM GREEN	17154
LM YELLOW	21906
LM PINK	23458





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Label clip

Label clip insuring holding of identification or delivery labels on meat pieces. Height 23 mm. Colours : red or blue. Packed in carton of 5000 pieces.

Code	
BLUE	17655
RED	11668



Modular seal

Control safety seal in polypropylene. Progressive and notched clamping, tool-free installation. Robust design prevents accidental breakage. Useful length : 300 mm. Colour : red. Packed in carton of 1000 pieces.



Code	
-	23244



Riblock or Longseal seal

Safety and control seal, polypropylene. With progressive serrulate tightening, installation without tool. This seal is designed to be broken without any tool. Useful length : 250 mm (Riblock seal available in red or yellow) or 370 mm (Longseal seal in red). Packed in carton of 1000 pieces.

Code	
RIBLOCK LG.250 YELLOW	5328
RIBLOCK LG.250 RED	5327
LONGSEAL LG.370 RED BOBET	10024



Securelock seal

Safety and control seal, polypropylene. With progressive serrulate tightening, installation without tool. Length : 300 mm. Colour : yellow. Packed in carton of 1000 pieces.



Code	
-	4486



Fixed length seal

Safety and control seal, polypropylene. No need for tools, fixed length (non adjustable). Available operating length : 180 mm. Colour : blue. Packed in carton of 1000 pieces.

Code	
-	17914



Balloonseal seal

Metal strip-seal, outstanding closing system. Once the closing mechanism has been triggered, it is impossible to reopen it, unless you break the seal, which makes the attempted break evident. Length : 190 mm. Packed in carton of 1000 pieces.

Code	
-	15885



Reusable ties 250x7.5

White plastic ties. Very useful as adjustable and re-usable. Dimensions : 250x7,5 mm. Packed in carton of 1000 ties.

Code	
-	17913



Coated wire ties

Coated wire ties with 2 round loops for various ligatures : wire netting, bundling, packing, bags, crates... Easy to use thanks to the driller tool (code Bobet 2156). Packed in 5000 piece bundles. Available in different colours and different dimensions.



	Code		Code
10CM WHITE /1000	7766	16CM RED /1000	4446
12CM WHITE /1000	2158	18CM RED /1000	9569
14CM WHITE /1000	2159	20CM RED /1000	4448
16CM WHITE /1000	2160	10CM GREEN /1000	4441
18CM WHITE /1000	2161	12CM GREEN /1000	4443
20CM WHITE /1000	2162	14CM GREEN /1000	4445
10CM RED /1000	2157	16CM GREEN /1000	4447
12CM RED /1000	4442	18CM GREEN /1000	9566
14CM RED /1000	4444	20CM GREEN /1000	4449



Driller tool for wire ties

Driller tool for wire ties.



Code	
-	2156



Table slate with base 10x12 (x3)

Set of 3 table slates with base in natural varnished wood, half moon shape. Slate in black PVC of 3 mm. Slate dimensions : 120x100 mm. Mark with chalk or chalkmarker, cleaning with cool water.



Code	
-	20426





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Table slate with base 15x22 (x3)

Set of 3 table slate with long base in black painted wood. Slate in black PVC 3 mm. Slate dimensions : 220 x 150 mm. Mark with chalk or with chalkmarker, cleaning with cool water.



Code

- 21871



Price tag (bag of 10)

White price tag with a food safe stainless steel pin. Sold in bag of 10 tags. Two dimensions available : 7x5 cm or 7x10 cm.



	Code
7X5 /10	20701
7X10 /10	20700




Red adhesive labels D.30 (/500)

Adhesive paper label, diameter 30 mm, bare, red stripe. Sold in roll of 500 tags.



	Code
-	20713




School price tag (x100)

PVC school price tag. Without wheel, with plastic pin. Writing surface dimensions : 5 x 2.5 cm. Sold by bag of 100 labels.



	Code
-	25225



Schist neutral label (X10)

Schist neutral label in PVC. No wheel, no pin. Available in different dimensions. Sold in bags of 10 units. Can be used with our holder code 20489.



	Code
7X10 (x10)	20486
8X12 (x10)	20487



Coloured neutral price tag (x10)

PVC red or yellow neutral price tag. No wheel, no pin. Dimensions : 7x10 cm. Sold by bag of 10 pieces. Can be used with our holder code 20489.



	Code
RED 7X10 (x10)	25063
YELLOW 7X10 (x10)	25064





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Black neutral label (x10)

Black neutral label in PVC. No wheel, no pin. Dimensions : 6x8 cm. Sold in bags of 10 units. Can be used with our holder code 20489.



Code	
-	20488



Clear PVC label holder (X25)

Label holder foot with H gripper to grip labels. In cristal PVC 2 mm. Height 50 mm. Bag of 25 holders. Can be used with our neutral labels.



Code	
-	20489



Articulated card holder (bag of 10)

Stainless steel articulated card holder. Sold in bag of 10 pieces.



Code	
-	15953



Stainless steel tag holder (bag of 3)

Electropolished stainless steel tag holder. Sold in bags of 3 units.



Code	
H5 (x3)	20430
H10 (x3)	20431



KNIFE HOLDER AND HYGIENE BOXES

Polyethylene single knife scabbard

In white polyethylene, sterilizable. Easy to clean and full hygienic. Capacity: 1 knife.

	Code
-	2111



Polyurethane single knife scabbard

Knife scabbard, polyurethane band with nickel-plated steel rivets, food safe. 1 case. Height : 20 cm.



	Code
-	1126



Polyurethane double knife scabbard LM

Knife scabbard, pure polyurethane body with a nickel-plated steel rivet, food safe. 2 cases. Height : 30 cm.



	Code
-	4390



Plastic 4 knives scabbard

Knife scabbard in plastic with nickel-plated steel rivets, food safe. 4 removable plastic cases, can be dismantled.

	Code
-	21619



Polypropylene flat knife scabbard

In white polypropylene, sterilizable. Removable front permits access for cleaning. Available in 3 sizes. Can be used with our belts Code 2113 or 9244.

	Code
2 PLACES SHORT	2121
2 PLACES LONG	2122
3 PLACES	2123





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Polyurethane butcher belt

Food safe polyurethane butcher belt for plastic knife scabbard. Length 1380 mm.



Code	
-	9244



Polypropylene butcher belt

Food safe polypropylene butcher belt for plastic knife scabbard. Length 1200 mm.



Code	
-	2113



Sharpening steel holder SM

Polyurethane sharpening steel holder with ring and snap in nickel-plated steel.



Code	
-	9246



Stainless steel knife hygiene box

Knife hygiene box, in stainless steel 304. Fit with 3 guide supports in polyethylene. Enables to store in a safety way, during or after work, knives, sharpening steel and chainmail glove. Capacity : code 12639 = 4 knives and 1 sharpening steel and code 20955 = 5 knives, 1 sharpening steel and 1 chainmail glove



Code	
4 KNV 1 SH.STEEL	12639
5KNV 1 SH. STEEL 1 GLOVE	20955



12639

20955

Stainless steel knife hygiene box 8 knives and 1 sharpening steel

Knife hygiene box, in stainless steel 304. Fit with 3 guide supports in polyethylene. Enables to store in a safety way, during or after work, knives, sharpening steel... Capacity : 8 knives and 1 sharpening steel.

Code	
-	23141



Stainless steel knife hygiene box with place for Sharp'Easy

Knife hygiene box, in stainless steel 304. Enables to store in a safety way, during or after work, 4 knives, 2 sharpening steels, 1 chainmail protective glove and 1 knife sharpener Sharp'easy.

Code	
-	21995



Stainless steel knife holder

Stainless steel 304L knife holder. Designed for the safe transport and storage, during or after the working day, of 3 or 4 knives, one sharpening steel and one chainmail glove. Also available in lockable model (code 7870).



Code	
-	7780



Stainless steel lockable knife holder

Stainless steel 304L lockable knife holder. Designed for the safe transport and storage, during or after the working day, of 3 or 4 knives, one sharpening steel and one chainmail glove. Padlock separately sold. Also available in standard model (not lockable) (code 7780).



Code	
-	7870





BOBET
matériel



Stainless steel hanger for knife holder

Stainless steel 304L hanger for knife holders (code 7780, 7870 and 21995) on worktables, cutting tables... To be fixed on the table underframe.



Code	
-	7869



THERMOMETERS

Foldable digital thermometer

Electronic digital thermometer, with foldable probe not commutable. Pocket thermometer. Range : -50 to +300°C.

Code	
-	9627



Digital thermometer with probe

Digital thermometer with probe. Enables to measure temperature in hard to reach areas, of products from liquid to semi-frozen and of the air. Easy to use. Range : -50 to +150°C.

Code	
-	17752



Thermometer for oven with probe + alarm

Digital thermometer for oven, with probe and alarm. Ideal for checking core cooking. Enables to program a set temperature. Range : 0 to +300°C.

Code	
-	21169



Checktemp thermometer

High precision pocket thermometer. Offers a fast and precise temperature measuring. Easy to use. Range : -50 to +150°C.

Code	
-	7805



Testo watertight pocket thermometer

The watertight pocket thermometer IP67 suits for measuring temperature in food, of the air or liquids. Probe length 120 mm. Range : -20 to 230°C.

Code	
-	17627





Testo 106 thermometer

The Testo 106 thermometer suits for fast controls of core temperature thanks to its thin and tough tip. Ideal for restaurants, hotels, kitchens, supermarkets... Small, compact, this instrument is always within hand reach and can fit in any jacket pocket. Range : -50 to +275°C. Available in calibrated or uncalibrated model.

Code	
CALIBRATED	12516
T1 UNCALIBRATED	12530



Testo 110 thermometer

The Testo 110 thermometer is an electronic high precision instrument, for temperature control and measuring. Specially designed for outside use, in food industries, laboratories, refrigerated store rooms... Range : -50 to +150°C. Available in calibrated or uncalibrated model.

Code	
CALIBRATED	15540
UNCALIBRATED	15541



Testo 174T data logger thermometer

This Testo 174T mini data logger is ideal for the reliable monitoring of cooling chains and sensitive goods. Simply placed near goods, for example in shelves or cold rooms, it permanently controls temperatures, with accuracy and discretion. It can be quickly programmed thanks to its USB interface. Range : -30 to +70°C. Two models available : only or set.

Code	
ONLY	17322
SET	15554



Testo 826 T2 infrared thermometer

The Testo 826 T2 infrared thermometer suits for the quick checking without contact of foodstuffs temperature. Marking laser sighting by 1 point. Enables to check the cold chain during storage and transport without unnecessary destruction of products. Good measurement accuracy. Waterproof and robust thanks to its Topsafe safety cap. Range : -50 to +300°C.

Code	
-	21362



Testo 104-IR infrared thermometer

The Testo 104-IR infrared thermometer is a waterproof thermometer combining an immersion/penetration/atmosphere probe and an infrared sensor for temperature measuring without contact. Marking laser sighting by 2 points with an optical 10:1 which indicates the precise measurement zone and guarantees no mistake. It can be used for any application in food industries. Handy and practical, it fits any pocket thanks to its folding probe. Range : -50 to +250°C (CTN) and -30 to +250°C (infrared).

Code	
-	21363



Testo 805 infrared thermometer

This Testo 805 pocket thermometer enables to measure temperature without contact (integrated infrared probe). Small and handy. High precision for food industries. Watertight and tough thanks to its protective cover TopSafe. Range : -25 to +250°C.

Code	
-	17628



Stem thermometer

Glass stem thermometer, graduated from +30 to +100°C.



Code	
-	5001



Meat thermometer

Stainless steel probe. Especially suitable for measuring meat temperature (while cooking). Graduated from 0 to +120°C.

Code	
-	2081



Blue pen thermometer

Electronic digital thermometer, waterproof. HACCP standard EN13485. Temperature : -50 to +200°C.

Code	
-	21893



Pen thermometer

Electronic digital pen thermometer. Range : -50 to +300°C.

Code	
-	8396





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



21984 - Gaine inox

8476 - Gaine polyamide

Candy thermometer

Candy thermometer, graduated from +80 to +200°C, sheath in food safe polyamide or stainless steel.



Code	
POLYAMIDE SHEATH	8476
ST. STEEL SHEATH	21984

Broth thermometer -10+120

Broth thermometer, graduated from -10 to +120°C, food safe white polypropylene sheath.



Code	
-	2080



Broth thermometer -50+50

Broth thermometer, graduated from -50 to +50°C, food safe white polypropylene sheath.



Code	
-	7078



Freezer thermometer

Freezer thermometer, graduated from -50 to +50°C, plastic sheath.

Code	
-	2082



Water thermometer

Water thermometer, graduated from -10 to +60°C, food safe white polypropylene sheath.



Code	
-	9190





Testo 206 PH meter for liquid

The Testo 206 pH1 PH meter enables to quickly control in liquids environments. Temperature probe, watertight, integrated for a precise temperature compensation. Thanks to the protective cover "Top Safe" supplied with the instrument, it is also adapted for an outside use and for an inimical industrial environment. Precise and universal instrument. Resistant to dirt thanks to its protective cover. Measuring range : 0 to 14 pH and 0 to +60°C.

Code	
-	12521



Testo 205 PH meter for meat and liquid

The Testo 205 PH meter enables a fast and convenient measuring in meat processing industries, also for use in liquids and little malleable substances. Its ergonomic design and its surface display make it ideal for applications in production, incoming goods and for repetitive measuring. The combination of the PH penetration tip and the temperature probe for fast and accurate temperature compensation is unique. Automatic recognition of a stable reading makes the whole measurement process much easier. Range : 0 to 14 pH and 0 to +60°C.

Code	
-	12520



Hygrometer

Thermo-hygrometer 2 functions : a thermometer to measure temperature and a hygrometer to measure the relative humidity in the air. Temperature range : -30 to +60°C. Humidity range : 0% to 100% RH.

Code	
-	17928



Salometer

Salometer in graduated glass from 1000 to 1250 g/l.



Code	
-	6227





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel

S-HOOKS AND MEAT HOOKS

Stainless steel S-hook 2 points

Stainless steel "S"-hook, 2 points. Available in different dimensions.



	Code
60X3 /PIECE	21631
80X4 /PIECE	21632
100X4 /PIECE	21633
120X5 /PIECE	21634
140X5 /PIECE	21635
160X6 /PIECE	21636
180X6 /PIECE	21637
200X9 /PIECE	21638
220X10 /PIECE	21639
300X12 /PIECE	21640



Swiveling stainless steel S-hook

Swiveling stainless steel S-hook. Dimensions : 270x12 mm.

	Code
-	9701



Stainless steel meat hook

Stainless steel meat hook. Available in different dimensions.

	Code
LG.145MM WIRE D4	2154
LG.165MM WIRE D5	2155
LG.170MM WIRE D6	2153





Straight stainless steel meat hanger

Straight meat hanger, stainless steel, 10 hooks. Total height (with catching ring) : 1480 mm.



Code	
-	12492




Stainless steel meat hanger with 18 hooks

Stainless steel meat hanger, 2 stages, 18 hooks. Total height (with catching ring) : 730 mm.



Code	
-	10587



Stainless steel meat hanger with 10 hooks

Stainless steel meat hanger, 2 stages, 10 hooks. Total height (with catching ring) : 1080 mm.



Code	
-	15179





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Breast hook

Breast hook, stainless steel 304, 3 spikes.

Code	
-	3936



Hand boning hook

Hand boning hook. Round ergonomic handle for right and left hand. Hook in the middle of the handle. Length 17 cm.

Code	
-	20595



Stainless steel hook with 2 spikes

Hook in stainless steel 304, 2 spikes. Total length : 305 mm. Enables to bridle or maintain the legs of animals tightened.



Code	
-	12396



Polypropylene ham hanger

In polypropylene, EEC approved material. High resistance and several applications. One hole at the top. Enables storage in a minimum space. Maximum load : 170 kgs. Height : 1020 mm.

Code	
-	10539



Smoking stick

Smoking stick, extruded star-shaped profile. Available in aluminum (code 21882) or in stainless steel (code 6852). Sold in 1 meter bar.

Code	
SS 1MTR	6852
ALU 1MTR	21882



STRINGS NETTINGS ELASTIC BANDS

String Saucifil

Polyester string which replaces natural linen for manual use or in machine, in compliance with the regulation of food contact EC 10/2011. Smoothed aspect. Packed in 1 kg roll. Diameter 3,5/2 , presentation : either centerfeed roll (without tube) or Filpack, i.e. centerfeed roll (without tube) + plastic handle. Colour : white. Temperature resistance : from -40°C to +220°C maximum.



Code	
CTFD	17953
FILPACK	25180



String Rotifil

Polyester string, apt to be in contact with foodstuffs. Colour : white/red. Packed in roll of 1 kg (i.e. 1600 meters). In roll with tube, roll of 1 kg.

Code	
-	21904



String Rotifil blue white red

Polyester string, apt to be in contact with foodstuffs. Colour : blue/white/red. to bring out the French origin of your meats. Packed in roll of 1 kg (i.e. 1600 meters). In roll with tube, roll of 1 kg.



Code	
-	23607



Linen string

100% linen string, flax linen for manual or machine use, such as tying cured meat (sausages, blood sausages), shaping meat roasts... In compliance with the regulations EC 1935/2004, EC 2023/2006. Packed in rolls of 1 to 1,3 kg each. Presented in roll with tube. Available in different colours, polished or non polished.

Code		
WHITE N POLI.	2.0/4 1KG	21050
WHITE POLI.	3.5/2 1KG	21051
WHITE POLI.	3.5/4 1.3KG	21052
RAW N POLI.	2.0/2 1KG	21053
RAW N POLI.	3.5/2 1KG	21054
RAW POLI.	2.0/4 1KG	21055
RAW POLI.	3.5/2 1KG	21056
RED/WH POLI.	3.5/2 1KG	21057
RED POLI.	3.5/3 1KG	21058
BLUE POLI.	3.5/4 1.3KG	21060
RED/YE	3.5/4 1.3KG	21901



Linen saucifil string

Linen string for manual or machine use. In compliance with the Regulation on food contact EU 10/2011. Smoothed aspect. Presented in roll with tube, roll of 1 kg. Diameter 3.5/4. Colour : green. Temperature resistance : -40°C to +100°C maximum.



Code	
-	23685





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Rotifix string

Polyester and viscose string which replaces Rayonne string and is in compliance with the Regulation on food contact EU 10/2011. Colour : white. Packed in 1 kg roll. Available in different models : 2 or 3 straws, in roll with tube or centerfeed (either without tube, or in bucket (deviroll), or with plastic handle (Filpack)).



	Code
2 STR. TUBE	20800
2 STR. CENTER	20801
2 STR. DEVIROLL	20802
3 STR. TUBE	20803
3 STR. FILPACK	20804



Roti string

Polyester string, 2 straws, food safe. Colour : white. Packed in 1 kg roll (i.e. 2500 meters). In roll with tube.



	Code
-	20557



Polypropylene string

Polypropylene string in roll of 2 kg. Colour : white. Available in 1 straw (500 m per kg) or 3 straws (250 m per kg).



	Code
500/1	2174
750/3	9213



Polypropylene string, cut pieces

Polypropylene string in cut pieces, 3 straws. Length : 80 cm. Colour : white. Packed in carton of 20 kg.



	Code
-	16998



String holder

Stainless steel string holder. Available in standard model (over the suspension bar) and reverse model (under the suspension bar). Dimensions : 18 x 13.5 x H.21 cm.

	Code
STANDARD	2188
REVERSE	2189



Kitchen string holder

Stainless steel kitchen string holder. Wire cutter, string guide rod. Dimensions : 18 x 12 x H.18 cm.

	Code
-	2190



Stainless steel twine reel

Stainless steel reel for twine. Overall dimensions : H.610 x W.150 x D.168 mm.



	Code
-	19112





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Elastic netting

Food safe elastic netting, latex wire wrapped in polyester and chain 100% polyester. To tie roasts, fresh meat, sausages... Available in different dimensions. To ease the net loading, use a stuffing tube.

Code	
12 SQUARES 50M	2175
14 SQUARES 50M	2176
16 SQUARES 50M	2177
18 SQUARES 50M	2178
20 SQUARES 50M	2179
22 SQUARES 50M	7448
24 SQUARES 50M	5811



Elastic netting with double weaving

Food safe elastic netting, double weaving, latex wire wrapped in polyester and chain 100% polyester. To tie roasts, fresh meat, sausages... To ease the net loading, use a stuffing tube.



Code	
-	4531



Elastic netting hand-tied style

Food safe elastic netting hand-tied style, latex wire wrapped in polyester and chain 100% polyester. To tie roasts, fresh meat, sausages... Dimension : 6 squares.

Code	
-	9655



White stuffing tube

Stuffing tube and ogive in polypropylene to stuff roast net. White colour recommended for stuffing machines. Available in different dimensions.

Code	
12 SQUARES	15978
14 SQUARES	15979
16 SQUARES	15980
18 SQUARES	15981



Orange stuffing tube

Stuffing tube and ogive in polypropylene to stuff roast net. Orange colour recommended for a hand stuffing. Available in different dimensions.

Code	
10 SQUARES	5067
12 SQUARES	5068
14 SQUARES	5070
16 SQUARES	5071
18 SQUARES	5072



Paupiettes loop

Paupiettes loop, in natural latex yarn with a polyester covering. Packed in 3 kg bag.

	Code
-	12387



Poultry band

Poultry band, in 2 natural latex yarns with a polyester covering. To tie chickens, turkeys, capons... Packed in 3 kg bag.

	Code
-	10170



Polypropylene cord

Polypropylene cord in 100 meter coil (for diameters 5 and 8 mm) and in 220 meter coil (for diameters 6 mm). Colour : white. Available in different diameters.



	Code
D5 /100M	9085
D6 /220M	8412
D8 /100M	8413



Rubber bands, blue or blond

Rubber bands, thickness 1.2 mm. Available in two colours : blond or blue. Available in different dimensions. Packed in 1 kg bag.

	Code
80X5 BLOND 1KG	4483
90X3 BLOND 1KG	4482
100X10 BLOND 1KG	10435
120X5 BLUE 1KG	17158
150X10 BLUE 1KG	20611
180X15 BLUE 1KG	17157
200X10 BLUE 1KG	17159





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Cotton stockinette

Cotton stockinette to protect carcasses. Available in two sizes : code 17611 for calves and porks (14 meters/kg) and code 7294 for beef (11 meters/kg). Packed in around 15 kg bundles (code 17611) and 11 kg bundles (code 7294).

	Code
REF32 - KG	17611
REF36 - KG	7294



Polycotton stockinette

Stockinette in polyester and cotton to protect carcasses. Available in two sizes : code 15096 for hams, piglets, lambs... (23 meters/kg) and code 11034 for beef (21 meters/kg). Packed in around 15 kg bundles (code 15096) and 11 kg bundles (code 11034).

	Code
REF24-KG	15096
REF36-KG	11034



Boneguard cloth

Boneguard cloth in polypropylene to protect bones. Used for example in slaughterhouses to avoid the puncture of retractable plastic bags when vacuum packed and during transportation and storage of protruding bones. Avoids leakage of vacuum packaging. Sold in 100 meter roll. Two widths available : 230 and 330 mm.

	Code
WIDTH230	12635
WIDTH330	15707



Ham sleeve

Ham sleeve (or foam bag) in polyamide. Size 6 (approximate unstretched length 75 cm and approximate stretched length 150 cm)

	Code
-	20816



Polyester cooking netting

Cooking netting, 100% polyester. To cook ingredients, broth, sauces, meals...

	Code
-	7027



ACCESSORIES FOR CATERING TRADE

Stainless steel needle with blue handle

Straight stainless steel needle, blue polypropylene handle, ball tip. Available in different lengths.

	Code
25CM	20551
30CM	20552



Straight stainless steel trussing needle

Straight trussing needle. Stainless steel. Available in different lengths.

	Code
LG.20	3782
LG.25	3783



Sausage prickers

Stainless steel sausage prickers, black moulded food safe polypropylene handle. Available with 3 or 6 pricks.

	Code
3 PRICKS	5701
6 PRICKS	5702



Bamboo flag picks

Bamboo picks, "flag" shape. Length : 15 cm. Sold by 1000.

	Code
-	21063



Wood picks

High quality wood picks. Length 65 mm. Available with 1 or 2 tips. Packed in box of 1000 pieces.

	Code
1 TIP	9286
2 TIPS	12491





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Wood skewer

Wood skewers, 1 tip. Available in different dimensions. Packed by 1000.



	Code
200X3.7	20682
240X3.6	3935
300X3.7	20579



Stainless steel skewer

Stainless steel skewer, oval-shaped spadel. Available in different dimensions. Packed in carton of 1500 skewers for the code 25187 and in carton of 1000 skewers for the code 15073.



	Code
LG.170 /100	25187
LG.250 /100	15073



Kebabs preparation appliance (81 kebabs)

Kebabs preparation appliance for 81 kebabs, in stainless steel. Top and bottom plates in polyethylene 500. Dimensions : 250x250x height 215 mm.



	Code
-	5256




Stainless steel cheese wire

Stainless steel 304L cheese wire, food safe. Plastic handles. Available in different dimensions. 100 pieces in a bag.



	Code
LG.800 /100	6413
LG.1000 /100	6414



Stainless steel spacing

Stainless steel spacing. For wire of 21 cm. Wires are sold by 100 pieces.



	Code
SPACING	2055
WIRE /100	2059



Stainless steel foie gras spacing

Stainless steel foie gras spacing. Interval : 12 cm. The wires are sold by 100.



	Code
SPACING	20019
WIRE /100	20020



Cheese cutter on base BOSKA

Cheese cutter. Tubes, wires and bracket in stainless steel. Base in polyethylene. Diameter : 290 mm.

	Code
BOSKA CHEESE CUTTER	21381
BOSKA WIRE 240MM /10	21382
SS BRACKET	21383



Cheese girolle and cover

Utensil for scraping cheese into the form of beautiful curled flowers of cheese called Girolle. Enables to enrich your cheese platter with an original twist. Supplied with a polycarbonate cover.



	Code
-	20021





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Cheese blocker BOSKA

Cheese blocker, manual, ideal to quickly transform your cheese in sticks, slices or cubes. Can be used with all kinds of cheese. Code 20449 : complete cheese blocker 8 mm (base+frame 8 mm+wires), code 20445 : only base, code 20446 : frame 16 mm (x2), code 20447 : frame 8 mm (x2) and code 20448 : 250 mm wires (x10).

	Code
COMPLETE 8MM	20449
BASE	20445
FRAME 8MM x2	20447
FRAME 16MM X2	20446
WIRES 250MM X10	20448



Cheese divider

Cheese divider for an easy cutting without losses. To finish with muscle pain due to cheese cutting, use this cheese divider with a lever system to cut medium-hard cheese with ease. Blades separately sold.

	Code
CHEESE DIVIDER	25157
STRAIGHT BLADE	25158
CENTRAL BLOCK BLADE	25159
SEMICIRCULAR PINS	25160



Cheese slicer Unika+

Electrical cheese slicer for an easy and regular cheese cutting. Wedge-shaped cutting technique to allow round cheeses to be sliced with less cutting loss. Heating element for an easier cutting. Cut thickness adjustable from 1 to 15 mm. For semi-hard and hard cheeses weighing up to 16 kg.

	Code
-	23673



Exoglass dough scraper

Exoglass dough scraper, stiff, made of composite material, sterilizable. Available in round or straight shape.




	Code
STRAIGHT	9281
ROUND	9837



Polypropylene dough scraper

One-piece polypropylene dough scraper. Available in rectangular or trapezoidal shape.

	Code
RECT.	6381
TRAPEZ. BLUE	7013



Stainless steel dough scraper with plastic handle

Flexible dough scraper, straight, in stainless steel, white plastic handle.



	Code
-	9070



Stainless steel scraper

Stiff and straight dough scraper, in stainless steel, one-piece, bevelled cutting edge.



	Code
-	6380




Stainless steel dough scraper with polypropylene handle

Stainless steel dough scraper, polyamide handle. Available in round or straight shape and in flexible or stiff quality.



	Code
STIFF STRAIGHT	9256
STIFF ROUND	9254
FLEXIBLE STRAIGHT	9241
FLEXIBLE ROUND	9255





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stainless steel coating spatula

For chocolate. Stainless steel blade. Black polypropylene handle.



Code	
-	6405



Scraper for wooden board

Stainless steel scraper for board. Black thermoplastic handle.



Code	
-	21450



Coloured PVC scraper

PVC scraper. Dimensions : 115x75 mm. Assorted colours (the colours can be different depending on the manufacturer's productions). Packed in bag of 10 pieces.



Code	
-	2187



Polyamide scraper

Polyamide scraper. Dimensions : 120x95 mm.



Code	
-	6866



Scraper for bowl

Soft scraper, semi-circle, for bowl. Dimensions : 155 x height 120 mm.



Code	
-	17070



Aluminum funnel for pudding

Aluminum funnel for pudding. Diameter : 25 mm.



	Code
-	2168



Stainless steel piston funnel

Stainless steel piston funnel, with 3 flows, waterproof. Capacity : 1.9 liters (optional support, separately sold = code Bobet 23786).



	Code
-	7850



Stainless steel chef funnel

Stainless steel chef funnel. Available in different diameters.

	Code
D120	6551
D200	6357



White plastic funnel

Food safe PEHD funnel. Colour : natural. Available in different dimensions : funnel D.120 mm - output D.12 mm, funnel D.150 mm - output D.13 mm, funnel D.250 mm - output D.24 mm.



	Code
D120	17782
D150	17783
D250	17784





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stainless steel chinese strainer

Chinese strainer, in stainless steel with hook and support foot. Thin perforation : 1.5 mm. Available in different diameters.



Code	
D100 H 1.5	6552
D140 H 1.5	6925
D180 H 1.5	6391
D200 H 1.5	6926
D230 H 1.5	6379



Exoglass bouillon strainer

One-piece bouillon strainer made of Exoglass composite material. Fine stainless steel mesh, 2 hooks. Fine sifting : sieve 0.45 mm. Diameter : 200 mm.



Code	
-	20764



Stainless steel holder for funnel

Stainless steel holder for funnels, bouillon strainers, chinese strainers, piston funnels...Dimensions : D.140 mm x H.215 mm.



Code	
-	20087



Aluminum oil colander (handles and feet)

Aluminum oil colander with riveted handles and feet. Available in different diameters.



Code	
D360	8442
D400	5008



Aluminum vegetable colander

Vegetable colander, conical, hooped base, in aluminum and with riveted handles. Diameter 600 mm.



Code	
-	8536



Stainless steel colander with 2 handles

Stainless steel conical colander, with handles. Available in different diameters.



	Code
D300	6618
D400	9086



Stainless steel colander with handle

Stainless steel conical colander with handle. Diameter : 295 mm.



	Code
-	8416



Stainless steel mesh strainer

Strainer, stainless steel metal mesh.



	Code
D100	17811
D180	6354





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Automatic flour sieve

Automatic sieve with handle, full stainless steel. Diameter 123mm.


	Code
-	8852



Stainless steel flour sieve

Full stainless steel sieve, removable stainless steel mesh. Available in different diameters and different meshes.

	Code
D300 M16	9066
D300 M20	9036
D400 M20	8842



Replacement mesh for stainless steel sieve

Replacement mesh for stainless steel sieve, diameter 400 mm.

	Code
M20	9631
M25	9092



Plastic flour sieve

Flour sieve with a plastic body, steel mesh. Diameter : 300 mm. Available with different meshes.

	Code
M8	8196
M12	9952
M18	8307
M24	6549



Stainless steel kitchenbowl

Stainless steel kitchenbowl with hook. Capacity 2 liters.

	Code
-	5230



Aluminum kitchenbowl

Aluminum kitchenbowl. Capacity 2 liters.



	Code
-	2170



Stainless steel stockpot

Stainless steel stockpot, welded handles. Lid separately sold. Available in different dimensions.



	Code
D240	21192
D280	21193
D320	21194
D360	21195
D400	21196



Stainless steel sauce pot

Stainless steel sauce pot, welded handles. Lid separately sold. Available in different dimensions.



	Code
D240	6371
D280	8397
D320	6372
D360	6593
D400	8430



Stainless steel saute pan with handles

Saute pan, stainless steel, welded handles. Lid separately sold. Available in different dimensions.



	Code
D320	6395
D360	6390





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stainless steel lid

Stainless steel lid. Available in different dimensions.



	Code
D240	7088
D280	21197
D320	6564
D360	8837
D400	6563



Aluminum sauce pot

Sauce pot in aluminum, riveted handles. Lid separately sold. Available in different dimensions.



	Code
D280	8851
D320	9292
D360	7022
D400	6652
D500	8336



Aluminum lid

Aluminum lid. Available in different dimensions.



	Code
D280	6351
D320	7072
D360	7070
D400	6608
D500	9196



Stainless steel casserole dish for 36 feet

Casserole dish for 36 feet, in stainless steel 304L. Overall dimensions : L.548 x w.298 mm. Pan height : 224 mm. Used to cook stew, pork feet...



	Code
-	11347



Black pudding plate

Black pudding or sea-food plate in aluminum. Available in 2 diameters : 400 or 500 mm.



	Code
D400	6666
D500	6665



Paella pan

Round frypan with handles, ideal for paella. Its heavy-gauge thickness (3 mm) allows foodstuffs to simmer. Diameter : 400 mm.



	Code
-	8990



Aluminum roasting pan

Aluminum rectangular roasting pan, with riveted handles. Available in different dimensions.



	Code
LG.40X32	7015
LG.50X40	4987
LG.60X48	7484



Stainless steel sauce pan

Stainless steel sauce pan, welded handle. All hobs including induction. Available in different dimensions.

	Code
D180	20001
D200	20450
D240	20002
D280	20004



Non-stick round frying pan

Non-stick round frying pan, very thick pure aluminum. Thickness 4 to 5 mm. Available in different diameters.



	Code
D200	12380
D240	12029
D280	12027
D320	12381
D360	12382
D400	12383





BOBET
matériel



Stainless steel hemispherical bowl

Hemispherical bowl known as "cul-de-poule", in stainless steel, polished finish. Round opened edge. Available in different dimensions.



	Code
D200	5891
D250	5892
D300	5003
D350	5002
D400	5893



Stainless steel bowl with round open edge

Pastry bowl in stainless steel, polished finish. Flat bottom and round open edge. Available in different dimensions.



	Code
D200	6569
D240	6427
D280	6570
D320	6571
D360	9414
D400	9415



Hemispherical dome mould, stainless steel

Hemispherical dome mould, in stainless steel, very smooth, for an easy release. Available in different dimensions.

	Code
D60	9940
D80	8677
D100	9130
D120	8534



Polypropylene hemispherical mixing bowl

White polypropylene hemispherical mixing bowl. Resistance : -20 to +100°C. Available in different dimensions.



	Code
D190	8544
D240	9005
D325	7804



Flexible squeeze bottle

Flexible squeeze bottle in clear polyethylene. Capacity : 70 cl. Dimensions : H.240 x D.70 mm.

	Code
-	20080



Stainless steel graduated pitcher

Stainless steel graduated pitcher with handle. Different capacities available with or without foot.

	Code
PITCHER 0.25L	30176
PITCHER+FOOT 1L	7326
PITCHER+FOOT 2L	4994



Polypropylene graduated pitcher with closed handle

Clear polypropylene graduated pitcher with closed handle and spout. Different capacities available.

	Code
0.5L	12536
1L	6935
2L	15436



Polypropylene graduated pitcher with opened handle

Clear polypropylene graduated pitcher with opened handle and spout. Different capacities available.

	Code
3L	15140
5L	15141



Graduated jug 6000

Polypropylene graduated jug , with handle and spout. Capacity : 2 liters. Dimensions L.140 x W.225 x H.215 mm. Available in different colours.

	Code
BLUE	23519
RED	23580
GREEN	23581
YELLOW	23582



Stainless steel stackable jug

Stainless steel stackable jug. Available in 1 liter, 1.5 liters, 2 liters.



	Code
1L	5009
1.5L	6399
2L	7329





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stainless steel wire skimmer

Stainless steel wire skimmer. Available in different dimensions.

	Code
D140	6514
D180	6613
D220	8989



Reinforced stainless steel wire skimmer

Reinforced stainless steel wire skimmer. Diameter 280 mm.




	Code
-	9665



Stainless steel skimmer

Stainless steel one-piece skimmer. Available in different dimensions.

	Code
D80	6385
D100	6384
D120	6611
D140	6535
D160	6517
D200	2171



Black nylon skimmer

Black polyamide skimmer. Resists up to +220°C. Length : 310 mm. Diameter : 100 mm.

	Code
-	20095



Meat fork L. 380 mm

Stainless steel 18/10 meat fork, very strong, one-piece.



Code	
-	9195



Meat fork L. 500 mm

Stainless steel 18/10 meat fork, very strong, one-piece.



Code	
-	6639



Stainless steel giant whisk

Giant whisk named purée beater in stainless steel. Overmoulded reinforced wires. 2 models available : total length 1000 or 1200 mm.



Code	
LG.1000	20759
LG.1200	20760



GOMA kitchen whisk

Kitchen whisk, anti-slip polypropylene handle, wires in spring stainless steel that cannot be separated from the handle. Available in different dimensions.



Code	
25 CM	23121
30 CM	23122
35 CM	23123
40 CM	23124
45 CM	23125
50 CM	23126





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Exoglass giant spatula

Giant spatula. Exoglass blade (polypropylene and glass) and stainless steel handle. Heat resistant up to 220°C. Available in different dimensions.



Code	
LG.800MM	9972
LG.1000MM	15390



Elvéa spatula

Elvéa white spatula, Exoglass handle, thermoplastic elastomer blade. Heat resistant up to 70°C. Available in different dimensions.



Code	
LG.250	6995
LG.350	7832
LG.450	6936



High temperature Elveo spatula

Elveo spatula, Exoglass handle, in composite material, resistant up to 200°C, flexible blade resistant up to 260°C. Total length 450 mm.



Code	
-	20814



Beechwood spatula

Beechwood spatula, type great cooking, thick handle, polished beechwood. Available in different dimensions.

Code	
LG.350	6509
LG.500	6580
LG.800	7769
LG.1000	8303
LG.1200	2108



White polyglass spatula

White polyglass (polypropylene and glass) spatula. Resistant up to 220½°C. Available in different dimensions.



Code	
LG.250	7690
LG.300	7674
LG.350	7833
LG.400	7770
LG.450	8338
LG.500	7668



Polyamide plain spatula

Polyamide bent spatula, matte grey. Specially designed for non-stick pots. Total length : 300 mm.



Code	
-	6966



Black nylon perforated spatula

Perforated spatula, in black polyamide. Resists up to +220°C. Length : 35 cm.

Code	
-	20100



Stainless steel perforated or plain spatula

One-piece kitchen spatula, stainless steel. Total length : 500 mm. Available in plain or perforated version.

Code	
PERFORATED	6513
PLAIN	8994



Stainless steel spatula with plastic handle

Spatula. Stainless steel blade, flexible. Overmoulded black polypropylene handle.



Code	
12CM	4683
15CM	4684
18CM	4685
21CM	4686
23CM	4687
25CM	4688
30CM	4689
35CM	4690
40CM	17839



Stainless steel offset spatula

Offset spatula, stainless steel flexible blade. Black moulded handle. Available in different dimensions.



Code	
24CM	8414
29CM	8930





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel

Stainless steel triangular scraper

Scraper. Stainless steel triangular blade, mirror polish. Polymere black handle.



Code	
SM BLADE 12X8	7081
LM BLADE 13X10	4015

Stainless steel plain spatula

Plain spatula. Stainless steel blade 14 cm. Black moulded ABS handle.



Code	
-	4691

Stainless steel grat spatula

Grat spatula (perforated). Stainless steel blade, 15cm. Black polypropylene overmoulded handle.



Code	
-	20066

Stainless steel perforated spatula

Perforated spatula. Stainless steel blade, 15 cm. Black polypropylene overmoulded handle.



Code	
-	20041

Wide bent stainless steel spatula

Wide bent spatula. Stainless steel blade 15 cm. Width 8 cm. Black polypropylene overmoulded handle.



Code	
-	8496



Stainless steel pie server

One-piece stainless steel pie server. Length : 240 mm.

Code	
-	6448



Stainless steel ladle

Ladle, also known as ladle bowl, one-piece, in stainless steel. Available in different dimensions.

Code	
D60	6338
D80	5871
D100	6310
D120	6311
D140	6306
D160	6397
D180	6589
D200	6330



Stainless steel fruit ladle

Stainless steel fruit ladle with a spout. Diameter : 60 mm. Total height : 200 mm



Code	
-	9338



Pizza ladle with flat bottom

Stainless steel pizza ladle. Flat bottom ideal for topping. Diameter : 85 mm. Capacity of 145 ml which corresponds to the standard quantity of tomato sauce for a pizza. Total height 320 mm.



Code	
-	20114



Stainless steel one-piece ladle

One-piece ladle with a spout in stainless steel. Diameter : 60 mm. Total height 320 mm.

Code	
-	8308





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stainless steel stew spoon

Stainless steel one-piece basting spoon. Two models available : straight spoon or side spoon.

Code	
SIDE	6590
STRAIGHT	4993



Stainless steel basting spoon

Straight basting spoon, in stainless steel. Total height : 380 mm.

Code	
-	20092



Black plexi plain spoon

Plain spoon, in black plexi. Length : 24 cm.

Code	
-	25231



Black nylon plain spoon

Plain serving spoon, in black polyamide. Resists up to +220°C. Length : 35 cm.

Code	
-	20093



Black nylon perforated spoon

Perforated serving spoon, in black polyamide. Resists to +220°C. Length : 35 cm.

Code	
-	20094



Spaghetti spoon

Serving spoon for long pasta. Overmoulded polypropylene black handle. Length : 31 cm.

Code	
-	25240



Stainless steel perforated serving spoon

Perforated serving spoon, in stainless steel. Length : 34 cm.



Code	
-	20120



Perforated spoon 28 cm

Perforated serving spoon. Overmoulded black polypropylene handle. Length : 28 cm.



Code	
-	20009



Plain spoon 28 cm

Plain serving spoon. Overmoulded black polypropylene handle. Length : 28 cm.



Code	
-	20008



Plain spoon 34 cm

Plain serving spoon. Antislip handle, resistant to heat up to +120°C. Length : 34 cm.

Code	
-	20069





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel

Stainless steel plain spoon 32.5 cm

Plain serving spoon, in stainless steel, one-piece. Length : 32.5 cm.



Code	
-	23144

RESTO stainless steel flatware

Flatware.



Code	
TEASPOON	17687
SOUP SPOON	17688
FORK	17686

Stainless steel measuring spoon (x4)

Set of 4 measuring spoons in stainless steel. Welded stainless steel handle. From 1 to 15 ml. Permanent marking of the quantities measured.



Code	
-	25227

Stainless steel ice cream scoop

Ice cream scoop with clip, round scoop. Stainless steel. Available in different dimensions.



Code	
D50	7813
D57	7811

Ice cream paddle

Ice cream paddle



Code	
-	21166



Fork (dipping tool)

Dipping tool (especially for chocolate). Rigid stainless steel wire spit, polypropylene handle. Total length : 200 mm.



Code	
-	8478



Offset fork 2 prongs

Offset kitchen fork. Stainless steel offset blade. 2 prongs. Overmoulded black polypropylene handle.



Code	
26CM	851
32CM	6335



Offset fork 3 prongs

Offset kitchen fork. Stainless steel offset blade. 3 prongs. Overmoulded black polypropylene handle.



Code	
-	6307



Offset fork 4 prongs

Offset kitchen fork (sauerkraut fork). Stainless steel offset blade. 4 prongs. Overmoulded black polypropylene handle.



Code	
-	20010



Forged fork 2 prongs

Chef fork. Stainless steel forged blade. Black thermoplastic handle. Available in small or large model.

Code	
23CM	20065
32CM	9062





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel

Stainless steel spaghetti tongs

Stainless steel tongs for spaghetti or asparagus.

Code	
-	7003



Exoglass serving tongs

Serving tongs in Exoglass composite material. Multi-purpose spring tongs. Colour : white.

Code	
-	9099



Polyamide serving tongs

Polyamide serving tongs. Multi-purpose spring tongs. Colour : black.

Code	
25CM	20119
32CM	20098



Stainless steel serving tongs

Stainless steel serving tongs. Multi-purpose spring tongs.

Code	
-	7031



Stainless steel universal serving tongs

Stainless steel serving tongs.

Code	
-	7002





Pastry scissors

Stainless steel scissors, polished mirror. Length : 180 mm.

	Code
-	20097



Salad tongs

Stainless steel tongs. Length : 250 mm.



	Code
-	7005



Asparagus tongs

Stainless steel tongs. Ideal to serve asparagus. Plastic moulded rings. For right and left-handed. Length : 240 mm.



	Code
-	20106



Tongs for steak

Stainless steel tongs. Length : 530 mm.



	Code
-	9881



Ham clamp

Stainless steel 304 ham clamp. Dimensions : 10,5 x 5,3 cm

	Code
-	21641





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Pastry tongs

Stainless steel pastry tongs.



Code

- 6494



Aluminum seafood crackers

Aluminum seafood crackers, covered with a coating specially designed for the dishwasher. Length : 150 mm.

Code

- 25117



Fish bone tweezers

Stainless steel fish bone tweezers.

Code

- 7637




Fish bone tweezers with plain handle

Stainless steel fish bone tweezers. Ergonomic plain handle.



Code

- 7916



One-piece fish bone tweezers

Stainless steel fish bone tweezers. One-piece, bevelled edges.



Code

- 7915



Stainless steel larding needle

Makes it easy to lard meat. Stainless steel blade, 25 cm. Black ABS handle.



Code	
-	7848



Oyster knife with guard

Oyster knife with guard, stainless steel blade, polypropylene handle. Blade length : 60 mm. Colour : black.



Code	
-	21705



Oyster knife with polypropylene handle

Oyster knife with polypropylene handle, stainless steel blade.

Code	
-	17753



Scallop shell knife 11 cm

Scallop shell knife, stainless steel blade. It enables easy and safe opening of shells and to take-off molluscs. Blade length : 11 cm.



Code	
-	15893



Apple corer

Apple corer, diameter 14 mm. Stainless steel blade. Overmoulded black polypropylene handle.




Code	
-	6441





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Handy peeler

Handy peeler with a stainless steel handle, blade in steel XC75 and an aluminum alloy rivet suitable for food contact.

Code	
-	15180

Handy peeler fixed blade

Peeler. Stainless steel blade. Overmoulded black polypropylene handle.



Code	
-	4679

Handy peeler swivel blade

Peeler. Polished stainless steel swivel blade. Black polypropylene ergonomic handle. For right and left-hander.



Code	
-	6440

Lemon stripper

Lemon stripper for right-handed. Polypropylene handle.



Code	
-	4694

Lemon zester

Lemon zester. Black polypropylene handle.



Code	
-	4693



Sandwiches cutter

Sandwiches cutter, to open the baguette on one side. Made in stainless steel. Steel stand, epoxy coated. Interchangeable blade in hardened stainless steel. Can be fixed horizontally on a table or vertically on a wall or with the stand clamp.



Code	
CUTTER	20090
BLADE	20089



Heavy mincer

Heavy mincer. Stainless steel blade. 2 polypropylene handles. Available with 1 or 2 blades.

Code	
1 BLADE	10169
2 BLADES	21872



Mandoline slicer

Stainless steel. Adjustable cut thickness. Blade with a straight side and a serrated one. Slices, sticks, potato chips, wafers, French fries, matchsticks... in seconds and in three different thickness cuts. Optional stainless steel pusher.



Code	
-	6868



Apple slicer

Apple slicer with suction cup. In nickel-plated steel and aluminum alloy. Peels, cores and slices in one step. Delivered with a clamp to fasten to a work top. Overall dimensions : 305x110x height 135 mm.



Code	
-	20108



API apple peeler

Apple peeler made of wear resistant composite material, tained in the mass. Stainless steel blade. Possible settings to accommodate the variety of apple used. Delivered with a clamp but can also be screwed on the work top. Overall dimensions : 340x100x height 200 mm.



Code	
-	20452





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Apple divider 8 slices

Apple divider, stainless steel blades, ABS handles. Enables to cut in eight equal slices in one step.

	Code
-	9513



Mango-cutter

Mango cutter. Stainless steel blade. Dimensions : L.20 x W.10.5 cm.

	Code
-	21770



Aluminum egg slicer

Aluminum and epoxy egg slicer with base. Enables to slice eggs.

	Code
-	8935



Stainless steel egg cutter

Egg cutter, stainless steel handle. Enables to form quarters.

	Code
-	15983



Strawberry huller

Stainless steel pliers to ease the strawberry hulling.



	Code
-	21874



Composite round fluted cutter

Polyglass round fluted cutter, composite material. Available in different diameters.



	Code
D40	21784
D50	21987
D100	21168



Composite round fluted cutters (Box 9)

Box of round cutters in Polyglass, composite material. Box of 9 fluted cutters : diameter 20 to 100 mm.



	Code
-	21992



Composite round plain cutter

Polyglass round plain cutter, composite material. Available in different diameters.



	Code
D30	9827
D50	7346



Composite round plain cutters (Box 9)

Polyglass round cutter box, composite material. Box of 9 plain cutters, pair : diameter 20 to 100 mm.



	Code
-	6323



Opera cake frame

Stainless steel opera cake frame. Dimensions : 570x370x45 mm.



	Code
-	20000





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stainless steel genoese pan

Stainless steel genoese pan. Straight edges. Refrigerator special. Watertight, soldered corners. For biscuits, flans, rice cakes... Dimensions : L.590 x W.390 x H.60 mm



Code	
-	21398



Stainless steel mousse ring

Round pastry ring, also known as mousse or entremets ring. In stainless steel. Height : 45 mm. Available in different diameters.



Code	
D140	20049
D180	20050
D220	8519
D260	6458



21804



21805



21806

Round quick plastic mould

Plastic mould with 35 round footprints (diameter 6.5 cm) to allow the rapid production of individual cakes or petits fours. Demoulding easily done thanks to the mould-shaped extractor. Can be used in negative cold room.



Code	
MOULD 35 CAKES	21804
EXTRACTOR	21805
CUTTER	21806



Precut polypropylene pastry ribbon

Polypropylene pastry ribbon. Precut. For rings diameter 75 to 80 mm. Packed by 500 sheets.



Code	
-	20129



PVC pastry ribbon

PVC pastry ribbon, very transparent and glossy. For mousses, entremets, charlottes... Height 45 mm. Thickness 150 microns. Supplied with a double sided adhesive. Roll of 250 meters.



Code	
-	25132



Copper cannelé mould

Cannele mould in tinned copper inside. Diameter : 55 mm. Height : 55 mm.

Code
-
20455




Plain crusted pate mould

Plain crusted pate mould with Exopan bottom. For making snacks the form of crusted pate filled slices.



Code
-
8610



Sugar shaker with 2.5 mm holes

Sugar shaker in stainless steel. Bayonet shaped lid with 2.5 mm holes. Capacity : 30 cl.

Code
-
6446



Sugar shaker with 1.5 mm holes

Stainless steel 18/10 sugar shaker. Screw-on lid with 1.5 mm holes. Capacity : 40 cl.

Code
-
9079





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Flat polyester brush UST

Flat brush, Ultra Safe Technology range. Polyester soft bristles, 57 mm. Width 30 mm. Ideal when allergens are a risk or in bakeries/pastries. Colour : blue.

	Code
-	21923



Flat polyester brush 5552

Flat brush. Soft polyester bristles of 45 mm. Ideal for the application of powders, sugars, eggs and other marinades... Available in different colours and different widths.

	Code
30 mm 5552303 BLUE	23311
50 mm 5552503 BLUE	23312
50 mm 5552504 RED	23313
70 mm 5552703 BLUE	23314



Round polyester glazing brush

Pastry brush. Polyester soft bristles, 58 mm. Dimensions: Diameter 20 mm. Available in different colours.

	Code
BLUE	10360
YELLOW	10361
RED	10362
GREEN	10363



Flat kitchen brush in silk

Kitchen brush, pastry brush. Natural silk bristles. Handle and collar in composite material. Available in different widths.



	Code
25MM	9185
30MM	9186
35MM	9187
40MM	9188
45MM	9189
50MM	9004
70MM	8834



Transparent yule log tube

Yule log tube in transparent blue Tritan, one-piece. One side flat and the other one serrated. 8 teeth.



Code	
-	21776



Transparent Saint Honore tube

Saint-Honore tube in transparent blue Tritan, one-piece, undeformable and unbreakable. Diameter : 14 mm.



Code	
-	20113



Sultane tube

Sultane tube for decorating puff pastries. In copolyester, undeformable and unbreakable. Flat cone.

Code	
-	25131



Clear plain tube

Clear plain tube, one-piece, undeformable and unbreakable. Box of 2 tubes. Available in different dimensions.



Code	
U6 (X2)	17364
U14 (X2)	20064
U15 (X2)	17359
U16 (X2)	17363



Clear star tube B to F

Clear star tube, one-piece, undeformable and unbreakable. Models B to F. Box of 2 tubes (except for the code 21781 = box of 1 tube). Available in different dimensions.



Code	
B8 (x1)	21781
C8 (X2)	6332
D6 (X2)	17357
D8 (X2)	9307
E8 (X2)	20109
F8 (X2)	20110





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Tranparent star tube (box 6)

Star tube in tranparent blue Tritan, one-piece, undeformable and unbreakable. Box of 6 tubes (C8, D8, E8, F8, C6 and D6).



Code	
-	17873



Stainless steel yule log tube

Stainless steel yule log tube, one-piece. One flat side and one wavy side. Box of 2 tubes. Available in different dimensions.

Code	
16MM (X2)	25119
20MM (X2)	25118
28MM (X2)	20063



Stainless steel express yule log tube

Stainless steel yule log tube, used to quickly decorate yule logs. Available in 2 dimensions : code 20111 (small model 14 teeth) and code 20112 (large model 24 teeth).



Code	
SM	20111
LM	20112



Stainless steel plain tube

Stainless steel plain tube, one-piece. Box of 2 tubes. Available in different dimensions.

Code	
U2 (X2)	25123
U4 (X2)	25124
U5 (X2)	20457
U6 (X2)	25125
U8 (X2)	9830
U10 (X2)	17358
U12 (X2)	25126
U14 (X2)	25127
U16 (X2)	25128
U18 (X2)	25129
U20 (X2)	25130



Stainless steel plain tube (box 6)

Stainless steel plain tube, one-piece. Box of 6 tubes (U2, U4, U6, U8, U12 and U14)

Code	
-	21549



Stainless steel plain tube (x12)

Stainless steel plain tube, one-piece. Box of 12 tubes, (diameter 4 to 15 mm).

	Code
-	21165



Stainless steel star tube A to F

Stainless steel star tube, one-piece. Models A to F. Box of 2 tubes. Available in different dimensions.

	Code
A6 D3 (X2)	17352
A8 D5 (X2)	17353
B6 D5 (X2)	17354
C5 D7 (X2)	17355
C6 D7 (X2)	20458
D7 D11 (X2)	20459
D8 D11 (X2)	25120
E8 D13 (X2)	25121
F7 D18 (X2)	20460
F8 D18 (X2)	25122



Stainless steel star tube (box 6)

Stainless steel star tube, one-piece. Box including 6 tubes (A8, B8, C8, D8, E8 and F8)

	Code
-	15097



Filling tubes (X3)

Filling tubes in stainless steel. Box of 3 units diameter 4, 6 and 8 mm.

	Code
-	20461





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Tubes apprentice's choice (Box 12)

Tubes Apprentice's choice. Box of 12 tubes in transparent blue Tritan, one-piece.
Includes : 5 plain tubes of different dimensions, 5 star tubes of different dimensions, 1 yule log tube and 1 leaf tube n°2.

	Code
-	21800



Tubes delicatessen's choice (Box 12)

Tubes Delicatessen's choice. Box of 12 tubes in transparent blue Tritan, one-piece.
Includes : 4 plain tubes of different dimensions, 4 star tubes of different dimensions, 2 tubes PF10 and PF14, 1 log tube 8 teeth and 1 leaf tube N°2.

	Code
-	21801



Tubes baker's choice (Box 24)

Tubes Baker's choice. Box of 24 tubes in transparent blue Tritan, one-piece. Includes : 10 plain tubes of different dimensions, 12 star tubes of different dimensions, 1 log tube 8 teeth and 1 leaf tube N°2.

	Code
-	21803



Bimar flexible pastry bag

Bimar flexible pastry bag, in nylon, waterproof, boil proof, with adjustable tip. Length 600 mm.

	Code
-	9526



Export pastry bag

Export pastry bag, in plastic coated fabric, stuck, waterproof, with adjustable narrow tip. Available in different dimensions.

	Code
LG.340	8839
LG.400	6316
LG.500	6309
LG.700	7717



Nylon pastry bag

Extra-flexible pastry bag, nylon soldered, waterproof, with adjustable tip. Available in different dimensions.



	Code
LG.300	6505
LG.350	6506
LG.400	7057
LG.450	7105
LG.500	5005
LG.600	8197



Disposable bag, triangular box

Disposable pastry bags, in polyethylene. Thickness : 85 microns. Packed in 100 bags dispenser carton.

	Code
-	15047





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Silicon sugar leaf mould

Silicon dual imprint mould. For quick creation of sugar ribbed leaves. Dimensions : 50 x 35 mm.

Code	
-	21551



Silform sheet for Paris-Brest

Silform sheet with 24 moulds for Paris-Brest, suitable for baking choux pastry and blind baking of tartlet bases. Dimensions: 600 x 400 mm.



Code	
-	20456



Baking paper

Baking paper. Silicone paper, double side, non stick. For cooking, frying, freezing, decorating, storing, interleaving... Ready to use. Dimensions : 600x400 mm. Dispenser carton of 250 sheets.

Code	
-	9663



Cooking mat

Exopat non stick cooking mat in silicon impregnated knitted glass fabric. Suits for any baking on sheets of pastries, breads, confectionary and nougatine related baking. Resistant from -40 to +300°C. Recommended use with baking sheet or grid. Dimensions : 585x385 mm.



Code	
-	7710



Baking beans

Baking beans. Food safe. For blind baking of bases of all shapes. Impeccable results for uniform and perfect bake.

Code	
-	6865



Wood rolling pin

Beechwood rolling pin. Length 430 mm.



Code	
-	17933



Polyethylene rolling pin

Polyethylene rolling pin. Length 490 mm.



Code	
-	20032



Extendable roller

Roller with plain wheels. In chrome-plated steel, includes several stems with cutting wheels D.55 mm, this appliance can simultaneously cut several uniform strips 10 to 120 mm wide.

Code	
-	6547



Roller docker

Roller docker. For quickly piercing dough strips in a regular manner in record time. Sturdy, polyamide roller, polypropylene handle.



Code	
-	8814



Plastic roller docker

In plastic.

Code	
-	5703





ABATTOIR EQUIPMENT, PACKAGING


BOBET
matériel



Plastic lattice pie top cutter

Lattice pie top cutter in plastic. Length : 100 mm.

	Code
-	7845



3 sided decorating comb

In polypropylene. 3 teeth pitches : 4.5 - 6.5 - 12 mm.

	Code
-	17832



Yellow grignette with fixed blade

Grignette with fixed blade. Baker's blade enabling to cut patterns in the dough before the bread baking. 10 pieces in a bag.



	Code
-	20117



Green grignette with non reversible fixed blade

Grignette with non reversible fixed blade (soft plastic with shape memory). Baker's blade enabling to cut patterns in the dough before the bread baking. 10 pieces in a bag.



	Code
-	20118



Baker's blade

Baker's blade. Green, stainless steel blade, cut razor, with protective cover, ergonomic shape - Weight : 5 g.



	Code
-	7238



Scarilame

Scarilame (grignette) enabling to score the dough before baking. Code 20122 : Scarilame support DUO (7.6 cm spacing) supplied with 1 support and 6 blades. Code 20121 : blades sold by 50 (refill blade for the scarilame DUO but can also be used alone).



Code	
SCARILAME DUO	20122
BLADES (X50)	20121



Support for scoring knife blades

Magnetic support for scoring knife blades.



Code	
-	25108



Plastic box for used scoring knife blades

Plastic box for used scoring knife and grignette blades.



Code	
-	25111





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Pizza wheel

Stainless steel pizza wheel, polypropylene handle. Diameter : 100 mm.

	Code
-	20099



Stainless steel flour scoop

Stainless steel flour scoop. Capacity : 350 or 1500 grams.

	Code
350GR	20096
1500GR	6343



Stainless steel flour scoop with handle

Stainless steel flour scoop with handle. Capacity : 0.75 or 1.4 liters.



	Code
0.75L	5696
1.4L	5697



Circular stainless steel hand scoop with handle

Circular hand scoop with handle, also known as floor scoop, stainless steel 304L.
Capacity : 1 or 2 liters.



	Code
1L	5197
2L	18592



Aluminum flour scoop

Aluminum hand scoop. Available in different dimensions.

	Code
11CL	6623
17.5CL	6518
30CL	8986
41CL	6573
65CL	6370
110CL	6353
187CL	6339
258CL	5010



Polypropylene measuring scoop

White food safe polypropylene measuring scoop. Available in different dimensions.

	Code
0.125L	6362
0.25L	12549
0.50L	9160
0.85L	12980



PVC hand scoop 24x15 cm (bag of 10)

PVC hand scoop. Ideal for strawberries, dried fruits, sweets... Dimensions : 24 x 15 cm. Sold by 10 units. Colour : white.



	Code
-	25185



Ham board

White moulded plastic ham board. Dimensions : 310x160 mm. Loading capacity : 600 grams.



	Code
-	8077





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Wood oven peel with handle

Peel with raised edge and handle, in beechwood. Total length : 3200 mm. Available in width 450 or 630 mm.

Code	
600X450XH.3200	20082
600X630XH.3200	20083



Aluminum oven peel without handle

Oven peel in aluminum. Dimensions : 600x580, thickness 2 mm. Handle separately sold (code Bobet 20407).



Code	
-	20406



Wood handle for alu oven peel

Wood handle. Length 4000 mm. Fits the aluminum oven peel (code 20406).

Code	
-	20407



Glazing brush

Glazing brush in wood. Natural bristles. Length : 315 mm.

Code	
-	20463



Stainless steel tenderizer

Stainless steel hand tenderizer. Flattens and tenderizes any meat. Very heavy and tough.

	Code
-	8455



Meat tenderizer

Meat tenderizer, 48 stainless steel blades and polypropylene handle.

	Code
-	20619



Burger press

Oval or round burger press, full stainless steel, for steak around 150 grams.

	Code
OVAL	4988
ROUND	25179



Oval steak paper

Oval steak paper, 2 waxed sides. Dimensions : 80x110 mm. 1000 pieces in a bag.



	Code
-	4141



Round steak paper

Round steak paper, double refined food paraffin. Diameter : 100 mm. 2000 pieces in a bag.



	Code
-	21679





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Hand operated brine pump

Polyethylene hand-operated brine pump, specially designed for butcheries, delicatessens..., enabling small brining.



Code

- 15105



Electric brine pump PM3

Electric brine pump fit with a monoprobe handle. Automatic priming pump with constant output. Output : 750 liters/hour. Voltage : 250V single phase.



Code

- 23617



Corkscrew

Corkscrew 4 pieces.

Code	
-	8587



Stainless steel kitchen can opener

Manual can opener, stainless steel handle and fixed steel XC45 blade.

Code	
-	12851



Pliers can opener

Pliers can opener. Nickel-plated handle and overmoulded plastic lever.

Code	
-	7734



Monopol can opener

Nickel-plated steel Monopol can opener.

Code	
LM	6450
SM	8633



Steel can opener

Nickel-plated steel can opener with base to be screwed. Opening all shapes of cans (cylindrical, square or rectangular). Rod length : 55 cm. Total height : 77 cm.



Code	
-	5749





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stainless steel can opener

Stainless steel can opener, with base, to be screwed, composite handle, black metal head. Very quick opening of cans thanks to the wide wheel. Designed for opening all cans (cylindrical, square or rectangular). Rod length : 63 cm.

Code	
-	20105



Stainless steel can opener OXP

Stainless steel can opener with base to be screwed. Opening of all shapes of cans (cylindrical, square or rectangular). Rod length : 55 cm. Total height : 78 cm.



Code	
-	9712



Wheel for can opener OXP

Wheel. Spare part for stainless steel can opener OXP (code 9712).



Code	
-	9214



Blade for can opener OXP

Blade. Spare part for stainless steel can opener OXP (code 9712).



Code	
-	9215



Rilsan collar for can opener OXP

Rilsan collar. Spare part for stainless steel can opener OXP (code 9712).



Code	
-	11755



4 in 1 digital timer

Digital heavy duty timer. Watertight keyboard. 99-hour timer. Very stable on antislip pads. Can be attached to the wall. Operates with a 9V battery or mains power (supplied with 9V adaptor).

Code
- 9318



Timer 20 hours

20-hour timer with digital display. Can also be used as a stopwatch.

Code
- 8331



TERRAILLON electronic scale 5 kgs

Electronic kitchen scale. Brushed stainless steel tray. Built-in bowl, 1.5 liter. LCD screen. Range : 5 kg. Graduation : 1 gram.

Code
- 17735



Hand-held counter

Stand hand-held counter. Chrome-plated ABS box. 4-numbered display and reset button.

Code
- 15797



Manual sharpener

Manual sharpener very easy to use. Replaces the standard sharpening steel. 2 types of sharpening proposed: smoothly with a ceramic cross or deeper with a carbide cross.

Code
- 8645





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Piezo Gas Lighter

Gas lighter, always ready for use. Works without flint, without batteries, without electricity, without resistance, without recharging.

Code	
-	17858



Blowtorch

Blowtorch with automatic lighting and safety lock. Ideal for sticking sugar pieces or for caramelising the surface of entremets, crèmes brûlées... To be used with the "Stop gaz" cartridge (code 17450), security cartridge stopping gas leak in case of disconnection of the cartridge and the blowtorch.

Code	
BLOWTORCH	17451
CARTRIDGE	17450



3500W stainless steel induction cooker

Stainless steel cooker, 3500 watts. Suitable for sauce pans and frying pans with diameter from 120 to 280 mm (contact surface). Dimensions : 340x450xH.120 mm.

Code	
-	20075



Electric double waffle maker

Electric double waffle maker, stainless steel body, removable cast steel machined plates. Heat indicator and on/off lights. Cooking timer. Power supply : 230V single phase, power : 1800 watts, tension : 50-60 Hz. Capacity : 2 waffles.



Code	
-	20451



Cutting board 500X300 green

ECO polyethylene cutting board. Dimensions : 500x300 x thickness 20 mm. Colour : green.

	Code
-	25237



Cutting board 600x400 white

Cutting board in polyethylene HD500. With feet for a better adherence. Dimensions : 600 x 400 x thickness 20mm. Colour : white.

	Code
-	20102



Board for derinding

Board for derinding in white HDPE 500. Overall dimensions : L.400 x D.330 x H.120 mm. With two angles on top and a return on bottom.



	Code
-	70095



Rack drainer for cutting boards

Stainless steel rack for cutting boards. For 5 or 6 cutting boards.

	Code
5 BOARDS	21902
6 BOARDS	21873



Scraper for polyethylene board

An easy-grip tool for simple maintenance of polyethylene cutting boards and blocks. Steel interchangeable and reversible blade. Dimensions : L.202 x W.70 mm.



	Code
-	20086





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Stick blender

Ideal for making emulsified sauces. Stick blender. Supplied with star blade (chopping, grinding), whisk (emulsifying) and mixer. Supplied with wall support and graded container.

	Code
-	9283



Blender Whisk MASTER COMBI 410

Dual function : blender and whisk. The MASTER COMBI 410 dual-function with removable foot and whisks, supplied with a speed controller, is a powerful and quality appliance. Fit with an indicator light, safety buttons, continuous or pulse operation and speed controller. In compliance with the EC standard requirements.



	Code
-	9240




Stand mixer K5

Planetary movement, very tough, with speed regulator (for kneading, mixing, beating), cast steel insuring increased sturdiness and stability, 4.8 liter stainless steel handle-operated bowl, 3-tool set (stainless steel whip, flat beater and dough hook) and a pouring shield. Power 315 watts.

	Code
-	8552



GASTRO FOOD PANS



Gastro stainless steel food pan

Gastronorm stainless steel food pan, without handle. Can be used for preparation, cooking, freezing, heating, service of meals... Reinforced corners and edges to reduce buckling in case of shocks. Lid separately sold. Available in different dimensions.



	Code
1/1 H40	9951
1/1 H65	6302
1/1 H100	7488
1/1 H150	8904
1/1 H200	9718
1/2 H100	9312
1/2 H150	8808
1/3 H100	20045
1/3 H150	20042
1/4 H100	9280
1/4 H150	20043
1/6 H100	20044
2/1 H100	12459



Gastro perforated stainless steel food pan

Gastronorm stainless steel food pan, without handle. Can be used for preparation, cooking, freezing, heating, service of meals... Perforated bottom. Available in different dimensions.

	Code
1/1 H65	25100
1/1 H150	25184
1/2 H65	25101
1/3 H65	25102
1/4 H65	25103



Cover for Gastro food pan - stainless steel with handle

Cover with handle for Gastronorm food pan, in food safe stainless steel.



	Code
1/1 H.	8905
1/2 H.	8809



Cover for Gastro food pan - stainless steel without handle

Cover without handle for Gastronorm food pan, in stainless steel.



	Code
1/2	20078
1/3	20079





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel

Gastro amber food pan Alto +

Gastronorm amber copolyester food pan, resistant to temperature from -40°C to +90°C. Available in different dimensions.



	Code
1/1 H100	25135
1/1 H200	20440
1/2 H100	25136
1/2 H150	20441
1/2 H200	25137



Lid for Gastro amber food pan

Lid without handle, for Gastronorm food pan, in amber copolyester (BPA free). Resistant to temperature from -40°C to +90°C. Available in different dimensions.



	Code
1/1	20107
1/2	25140



Draining plate for Gastro amber food pan

Draining plate for Gastronorm food pan, in amber copolyester (BPA free), resistant to temperature from -40°C to +90°C. Available in different dimensions.



	Code
1/2	25144
1/3	25145



Gastro black food pan

Gastronorm food pan, in plexi (PMMA), black, resistant to temperatures from -20°C to +80°C. Available in different dimensions.

	Code
1/2 H50	20124
1/1 H50	25057
1/2 H80	20013
1/3 H50	20014
1/3 H80	25053
1/4 H50	20125
1/4 H80	20015
1/6 H50	25054
1/9 H50	25055
2/7 H40	25056
2/7 H80	20016
3/7 H40	20017
4/7 H50	20126
4/7 H80	20018
5x1/4 H40	20410



Draining plate for Gastro pan in black plexi

Draining plate for Gastronorm pan in black plexi resistant to temperatures from -20°C to +80°C. Available in different dimensions.

	Code
1/1 PAN	25065
1/2 PAN	25066
1/4 PAN	25067





DECORATION AND PRESENTATION

Parsley base

Decoration, divider for dishes in showcase, parsley. Length 24 cm.

	Code
-	2184



Rose base

Decoration, divider for dishes in showcase, rose. Length 24 cm.

	Code
-	2185



Parsley divider

Decoration, parsley divider, white base. Base dimensions : 75xH.5.5 cm and height with parsley : 10 cm.

	Code
-	12818



Garland of roses

Decoration, garland of red roses. Length 180 cm.

	Code
-	2186



Grape vine garland

Decoration, garland of grape vine. Length 180 cm.

	Code
-	20022





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



White divider green frieze

Divider in white plastic, green frieze. Dimensions : L.75 x w.4.5 (base) x Ht 7 cm.

	Code
-	25183



Transparent divider

Divider in transparent plastic. Dimensions : L.75 x w.3.7 (base) x Ht 15 cm.

	Code
-	25182



Shredded wood

Shredded fir, 100% natural. Ideal for careful presentations. Bag of 2,5 kg.



	Code
-	20427



Plastic straw mat

Plastic straw mat for cheese. Thermosealed straws and strips in polypropylene. Width 300 mm. Packed in 100 meter roll.



	Code
-	20088



Cheese platter

Polypropylene cheese platter, synthetic wicker. Diameter 300 mm.

	Code
-	20084



Cheese platter in oak with dome

Cheese platter set with dome. Round shape, diameter (under the dome) 235 mm, board in european oak.

	Code
-	21819



Glass cheese platter with rolltop cover D.38

Buffet set for cheese with rolltop cover. Round shape (diameter 38 cm), glass board, SAN cover. 90° opening of the cover. With nonslip feet.

	Code
-	20483





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Sausages stand

Stand for sausages. Dimensions : D.280 mm x H.280 mm.

	Code
-	20030



Stainless steel ham stand

Stainless steel 304L ham stand. For the presentation of hams in a showcase. Dimensions : L.200xW.140xH.120 mm for the standard model (80001) and H.250 mm for the high model (80007).



	Code
STANDARD	80001
HIGH	80007



Presentation support in plexiglas

Presentation support in clear plexi (PMMA). Available in 2 different dimensions : 120x120x50 or 120x120x100 mm. Optionnal : round plate in black plexi with fastener code BOBET 25229 (D.200 mm) or code BOBET 25230 (D.300 mm).

	Code
120X120X50	21891
120X120X100	21892



Plexi round presentation plate with fastener

Round plate, in black plexi, with fastener for support code 21891 and 21892. Available in different diameters.

	Code
D.200 BLACK	25229
D.300 BLACK	25230



Seafood platter Royal

Set of two trays in stainless steel on removable support. For preparation and presentation of a Royal seafood platter. Dimensions : Diam.36 (top) and diam.45 cm (bottom), Height 19.5 cm.



Code	
-	21683



Seafood platter head-to-head

Tray fixed on a stainless steel rod, with little presentation tray at the base for fitting accessories. Easy to place on a table for 2 persons. Dimensions : low tray diam.25 cm, height 0.5 cm and high tray diam. 36 cm, height 4.5 cm.



Code	
-	21684



3-tier counter cake stand

Counter cake stand, in white plastic, on 3 tiers. Dimensions : D.280 mm x H.250 mm.

Code	
-	20085



4-tier counter cake stand

Counter cake stand, in white plastic, on 4 tiers. Dimensions : D.280 x H.440 mm.

Code	
-	25112



7-tier counter cake stand

Counter cake stand, in white plastic, on 7 tiers. Dimensions : D.280 x H.750 mm.

Code	
-	25113





3 black plexiglas steps display

Steps display in black plexi (PMMA), 3 steps. Available in 2 dimensions : w.500 x d.800 x h.80 mm or w.1000 x d.800 x h.80 mm.

Code	
500X800	20404
1000X800	20405




3 black acrylic steps display

Steps display in black acrylic, 3 steps. Overall dimensions : 600x400. 3 module kit : 1 step 400x180x40, 1 step 400x200x80 and 1 step 400x220x120 mm.



Code	
-	25161



3 transparent acrylic steps display

Steps display in transparent acrylic, 3 steps. Overall dimensions : 600x400. 3 module kit : 1 step 400x180x40, 1 step 400x200x80 and 1 step 400x220x120 mm.



Code	
-	25161



6 transparent acrylic steps display

Steps display in transparent acrylic, 6 steps. Overall dimensions : 600x400. 6 module kit : 1 step 400x90x20, 1 step 400x90x40, 1 step 400x100x60 mm, 1 step 400x110x80, 1 step 400x100x100 and 1 step 400x100x120 mm.



Code	
-	25163



Black plexiglas step display

Step display in black plexiglas (PMMA). Available in two different dimensions : L.260 x D.220 x H.30 mm (low step) or L.260 x D.220 x H.60 mm (high step).

Code	
260X220X30	20412
260X220X60	20413



Rectangular plexi bowl

Rectangular bowl in black plexi. Resistant to temperatures from -20°C to +80°C.
Dimensions : 240x175x100 mm. Capacity : 2 liters.

Code	
-	25228



Octagonal ABS bowl

Bowl in ABS, white or black. Resistant to temperatures from -20°C to +105°C. Available in different dimensions.

Code	
1.8L D180 WHITE	20068
1.8L D180 BLACK	20038
3L D230 WHITE	20039
3L D230 BLACK	20040



Square acrylic bowl

Black square acrylic bowl. Resistant to temperature from -20°C to +70°C. External dimensions : 180x180x80 mm. Capacity : 1.5 liters.

Code	
-	20482



Acrylic bowl

Bowl in acrylic, black. Resistant to temperatures from -20°C to +70°C. Available in different dimensions. Lid separately sold.

Code	
1.5L D180	20400
2.5L D215	20401



Lid for acrylic bowl

Lid in clear Altuglas. Fits the acrylic bowl code 20400 and 20401.

Code	
1.5L CODE 20400	20402
2.5L CODE 20401	20403





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Melamine rectangular tray

Melamine rectangular tray. Food safe material. Good resistance to shocks, boiling and dyes. Dishwasher safe. Available in different dimensions, white or decorated.



Code	
260X165X20 WHITE	8248
260X165X20 DECORATED	5685
290X190X20 WHITE	8251
290X190X20 DECORATED	5688
300X168X20 WHITE	8249
300X168X20 DECORATED	5686
350X165X20 WHITE	8250
350X165X20 DECORATED	5687



Melamine octagonal tray

Melamine octagonal tray. Food safe material. Good resistance to shocks, boiling and dyes. Dishwasher safe. Available in different dimensions, white or decorated, and a model in black (400x300x30 code 21993).



Code	
320X200X30 WHITE	8252
340X230X30 WHITE	8253
340X230X30 DECORATED	5690
400X300X30 WHITE	8254
400X300X30 DECORATED	5691
400X300X30 BLACK	21993



Melamine rectangular pan

Melamine rectangular pan. Food safe material. Good resistance to shocks, boiling and dyes. Dishwasher safe. Available in different dimensions. Colour : white.



Code	
260X142X45 WHITE	8255
295X170X45 WHITE	8256
335X200X45 WHITE	8257
590X190X33 WHITE	8258



Cristal square dish

Polystyrene square dish. Resistant to working temperature from 2 to 50°C. Low resistance to scratch and chemical aggressions. Dimensions : 200 x 200 x H.65 mm.



Code	
-	25232



Cristal round dish

Polystyrene round dish. Resistant to working temperatures from 2 to 50°C. Low resistance to scratch and chemical aggressions. Available in different dimensions.



Code	
D120 H250	25233
D150 H65	25234
D150 H150	25235
D250 H65	25236



Carousel display

This display includes: 1 turntable (display base) in melamine resin granite imitation D.78 cm, 8 rounded conical tanks in black ABS, 1 octagonal bowl in black ABS, 4 triangular angle trays in black ABS

Code
- 25178



Carousel rotating platter

ABS rotating platter, antislip black PMMA plexi surface. Food safe. Rotation 360°. Diameter 800 mm.

Code
- 25068



Set of 9 dishes in black plexi

Black PMMA plexi set of dishes, for the enhancement of the preparations in windows, on the counter or the buffet. Resistant to temperatures from -20°C to +80°C. Includes 9 dishes. Can be combined with the display code BOBET 20424.

Code
- 20423



Display for the set of 9 dishes in black plexi

ABS presentation display, antislip black PMMA plexi surface. To create a presentation of the set of 9 dishes in black plexi code BOBET 20423 (separately sold).


Code
- 20424



Set of 14 dishes in black plexi

Black PMMA plexi set of dishes, for the enhancement of the preparations in windows, on the counter or the buffet. Resistant to temperatures from -20°C to +80°C. Includes 14 dishes.

Code
- 20422





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Black ABS dish

Black ABS dish. Resistant to temperatures from -40°C to +80°C. Available in different dimensions.

Code	
220X145X70 ABS	20035
290X190X20 ABS	20036
300X220X35 ABS	20037
400X200X20 ABS	20067
420X280X15 ABS	20182
580X220X20 ABS	20034



Black plexi dish

Black dish in plexi PMMA. Resistant to temperatures from -20°C to +80°C. Dimensions : 420x280x20 mm

Code	
-	20411



Gastro black plexi dish

Gastronorm dish in black plexi (PMMA), resistant to temperatures from -20 to +80°C. Available in different dimensions.

Code	
1/1 H17	20180
1/2 H17	20024
1/3 H17	20025
1/4 H17	20026
2/4 H17	20181
2/7 H17	20027
3/7 H17	20028
4/7 H17	20029



Matt black or white plexi dish

Dish in plexi (PMMA), "smoke" matte glittery appearance, black or white, resistant to temperatures from -20°C to +80°C. Available in different dimensions.

Code	
BLACK 200X200X3	20414
BLACK 300X150X3	20415
BLACK 300X200X3	20416
BLACK 600X105X3	20418
BLACK 600X150X3	20419
BLACK 600X200X3	20420
BLACK 600X400X3	20421
WHITE 200X200X3	20474
WHITE 300X150X3	20475
WHITE 300X200X3	20477
WHITE 600X105X3	20479
WHITE 600X150X3	20480
WHITE 600X200X3	20481



Black triangular dish

Black plexi (PMMA) triangular dish. Dimensions : 400x400x565 mm. Height 17 mm.

Code	
-	20123



Crystal tray

Rectangular acrylic tray, transparent or black with embossed decoration. Available in different dimensions.



	Code
CLEAR 400X200	20467
CLEAR 400X300	20468
CLEAR 600X200	20469
CLEAR 600X400	20470
BLACK 400X200	20471
BLACK 400X300	20472
BLACK 600X400	20473



Slate dish

Slate effect melamine dish. Fitted with non-slip feet. Available in different dimensions.

	Code
1/2	25133
1/3	25134



Rectangular stainless steel dish

Rectangular dish for display, in stainless steel, round angles. Dimensions : 820x270x25 mm.

	Code
-	20023



Stainless steel display sheet

Stainless steel display sheet. 4 gripped edges. Dimensions : 600x400 mm.



	Code
-	9976



Aluminum display sheet

Aluminum display sheet. 4 small gripped edges. Dimensions : 600x400 mm.



	Code
-	6334





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



ABS tray

ABS tray. Dimensions : 400x200 mm or 600x400 mm. Available in different colours : white, blue, red and black.



Code	
400X200 BLACK	20128
600X400 WHITE	7785
600X400 BLUE	15078
600X400 RED	7855
600X400 BLACK	20127



Gastronorm ABS tray

Food grade ABS tray. Dimensions : 530x325 mm (GN1/1). Colours available : white and red.

Code	
WHITE	20438
RED	20439




Polypropylene tray

Polypropylene tray. Dimensions : 600x400 mm. Colour : white.



Code	
-	21981



Stainless steel flat grid

Stainless steel flat grid. With 2 or 3 struts. Available in different dimensions.



Code	
530X325 2S	6841
600X400 2S	3770
600X400 3S	9251
650X530 3S	7684
800X600 3S	3771



Stainless steel cambered grid

Stainless steel cambered grid, with 2 struts. Ideal for dripping on ABS tray 600x400. Dimensions : 540x370 mm, height : 15 mm.



Code	
-	21088



PACKAGING

Vacuum machine 440 mm

Vacuum machine with 1 sealing bar of 440 mm. Chamber dimensions : 460x420x170 mm. Machine dimensions : 540x610x480 mm. Power - pump capacity : 21 m³. Voltage : 230 V single-phase(50Hz).

Code	
-	20694



Transparent cover for cart

Food grade cover in polyethylene. Thickness 25μ. Dimensions : 870 x 250+250 x H.1800 mm. Sold in roll of about 150 covers (+/-5).



Code	
-	21822



Stainless steel reel for covers

Reel in stainless steel 304L for covers roll (code 21822) or for detectable blue europ tank covers (code 20323). Overall dimensions : H.350 x W.946 x D.430 mm.



Code	
-	70533



Blue europe tank cover

Europe tank cover, low density polyethylene. Food safe. Thickness : 40 microns. Colour : blue. 700 covers in a carton. Fits the stainless steel europe tanks (200 or 300 liters) or the PE europe tanks (200 liters).

Code	
-	17692



Blue cover for pallet container 1200x1000

Cover for pallet container, in polyethylene. Food safe. Thickness : 55 microns. Colour : blue. Packed by 120 covers. Fits on our pallet container code 21980.

Code	
-	21994





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Cover for 750L container

LDPE cover, black. Thickness 30 microns. Dimensions : 1250+360+360 x 1600 mm.
Packed in parcels of 100 covers.



	Code
-	23686



Rubbish bags

LDPE rubbish bags. Thickness : between 30 and 55 microns depending on the model.
Available in different versions : with or without tie, capacity : 30, 50, 100, 110, 130 or 240 liters, colour : black, transparent or white.



	Code
30L BLACK 30m TIE	7679
50L BLACK 35m TIE	4117
100L BLACK 50m	15897
110L TRANSP 45m TIE	20260
110L WHITE 55m	15896
110L WHITE 55m TIE	8959
110L BLACK 55m TIE	4143
130L BLACK 50m	17134
130L BLACK 55m TIE	8259
240L BLACK 35m	9383



Blue bag for meat box

Bag for meat box, high density polyethylene, blue. Dimensions : 600x600 mm. Thickness : 12 microns. 1000 bags in a carton.

	Code
-	17727



Meat bag

HDPE meat/slaughterhouse bag, transparent. Available in different dimensions. The packaging depends on dimensions (cf our data sheet).



	Code
400X600 30M	8753
400X600 50M	11987
500X800 45M	4140
600X1000 50M	20598



Bundle of bags Bio Source

Bundle of bags natural Bio Source, Potato starch 50%. Thickness 13 microns. Available in different dimensions. Code 21747 : packed in carton of 50 bundles of 100 bags (=5000), Code 21748 and 21749 : packed in carton of 40 bundles of 100 bags (=4000) and Code 21750 : packed in carton of 20 bundles of 100 bags (=2000).

	Code
17X22	21747
23X31	21748
30X35	21749
35X50	21750



Bag with handles

LDPE bag with handles, white. Thickness : 50 microns. Available in different dimensions. Packed in carton of 10 bundles of 50 bags (= 500).

	Code
26X45	21471
30X54	21472
30X60	21473



Vacuum bag 90 microns

Polyethylene and polyamide vacuum bag, 3-weld, non retractable. Thickness : 90 microns. Not heat resistant. Available in different dimensions. Packed in bags of 100 bags.

	Code		Code
150X200	23345	250X300	4123
150X250	23324	250X350	23351
150X300	23346	250X400	4124
150X365	23355	250X600	4128
160X225	4119	250X700	23352
160X275	4116	300X300	6747
180X250	23347	300X400	4127
180X300	23348	300X500	4126
200X200	23349	350X450	4130
200X250	4120	400X500	4133
200X270	23350	400X600	4134
200X300	4121	500X700	23353
200X400	4122	500X800	23354



Vacuum bag 140 microns

Polyamide and polyethylene vacuum bag, 3-weld, non retractable. Thickness : 140 microns. Not heat resistant. Available in different dimensions. Packed in bags of 100 bags

	Code
200x300	23356
200x400	23357
300x300	23358



Sheet for ham

HDPE sheet for ham, transparent. Available in different dimensions. Packed by bundles of 250 sheets. The packaging in carton depends on dimensions (cf our data sheet).

	Code
250X320 10M	25146
320X500 10M	25147
600X700 12M	4138
650X1000 10M	20618
700X900 12M	4139



White newspaper

White matte newspaper. Enables to protect your products and to offer a nice presentation. Finish : with 2 matte sides. Dimensions : 325x500 mm. Packed by 10 kg (i.e. about 350 sheets).



	Code
-	20862





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Greaseproof paper

Non coated food contact paper. To pack fat foodstuffs : delicatessen, cheese...or to be used as insert. Colour : white. Available in 3 different dimensions : 250x320, 320x500 and 500x650 mm. Packed in 10 kg reams

Code	
25X32-REAM 10 KG	12688
32X50-REAM 10 KG	12686
50X65-REAM 10 KG	12687



Greaseproof paper in roll

Non coated food contact paper. To pack fat foodstuffs : delicatessen, cheese... Or to be used as insert. Colour : white. In roll. Dimensions : width 65 cm (roll of 15 kg).

Code	
-	20853



Transparent LDPE sheet

Pre-cut roll sheets, dividers in the fish tanks... Dimensions : 500x350 mm. Thickness : 28 microns. Colour : transparent



Code	
-	23463



Clingfilm

Clingfilm. Length 300 meters. Width 300 or 450 mm. Available in box (cardboard dispenser).



Code	
W0.30M	4160
W0.45M	4161
W0.30M BOX	4162
W0.45M BOX	4163



Aluminum foil

Aluminum foil. Length 200 meters. Width 325 or 500 mm.

Code	
W0.325M	4157
W0.500M	4159



Stainless steel dispenser for film

Stainless steel dispenser for film or aluminum roll (from 30 to 50 cm wide). Wall mounted or table version. Dimensions : 505x120x95 mm.



Code	
-	15032



PE container with hinged lid

Transparent polyethylene container with hinged lid. Temperature resistance : -40 to +60°C. Available in different dimensions. Packed by bag of 100 pieces. The packaging in carton depends on dimensions (cf our data sheet)

Code	
250ML	17821
375ML	17822
500ML	17823
750ML	17824
1000ML	17825
1500ML	17826
2000ML	20894



PP microwave safe container with hinged lid

Transparent polypropylene container with hinged lid. Temperature resistance : -20 to +130°C. Available in different dimensions. Packed by bag of 50 pieces. The packaging in carton depends on dimensions (cf our data sheet)

Code	
250ML	17851
370ML	17852
500ML	17853
750ML	17854
1000ML	17855
1500ML	17856



PP microwave safe container with lid

Transparent polypropylene container. Detached lid. Temperature resistance : -20 to +60°C. Available in different dimensions. Packed by bag of 50 pieces. The packaging in carton depends on dimensions (cf our data sheet)



Code	
250ML	2215
375ML	2216
500ML	2217
750ML	2218
1000ML	2219
1500ML	2220



Heat sealing container and film

Transparent heat sealing container in polypropylene. Temperature resistance : -15 to +100°C. Available in different dimensions. Codes 12613 and 12614 : packed in carton of 12 bags of 100 containers (=1200). Codes 12615, 12616 and 12617 : packed in carton of 6 bags of 100 containers (=600). To be used with the thermo-seal film, length 500 meters x width 150 mm (code 12631).

Code	
375GR	12613
500GR	12614
750 GR	12615
1000GR	12616
1500GR	12617





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel

Catering container

Transparent catering container in natural polystyrene (PS). Temperature resistance : -30 to +70°C. Available in different dimensions. The packaging in bag and in carton depends on dimensions (cf our data sheet)



	Code
75GR	3946
100GR	3947
125GR	3948
150GR	3949
250GR	5982
375GR	3951
500GR	3952
750GR	3953
1000GR	3954
1500GR	3955
2000GR	3956
3000GR	3957



Container for brains

Clear container for brains, in polystyrene. Packed by 800 containers

	Code
-	21033



Heat sealing aluminum container

Heat sealing container (straight edge) in aluminum. Temperature resistance : -20 to +350°C (except for the code 4037 : +250°C maximum during 30 mn). Available in different dimensions. Packed by bag of 100 pieces. The packaging in carton depends on dimensions (cf our data sheet)

	Code
435ML	4037
1070ML	4042
1500ML	4045



Lid for heat sealing aluminum container

Lid in cardboard and aluminum for heat sealing aluminum containers. Packed by 100. The packaging in carton depends on dimensions (see our data sheet).

	Code
435ML	20553
1070ML	20554
1500ML	20555



Aluminum container

Aluminum container. Temperature resistance : -20 to +350°C. Available in different dimensions. Packed by bag of 100 pieces. The packaging in carton depends on dimensions (cf our data sheet)



	Code
225ML	3994
350ML	3995
490ML	3996





Aluminum ramekin mould

Aluminum ramekin mould. Temperature resistance : -20 to +380°C. Either round or ovale.
Code 4018 : packed in carton of 10 bags of 100 pieces (=1000) and code 4019 : packed in carton of 15 bags of 100 pieces (=1500).



Code	
RD 250ML D107	4018
OV. 250ML 123X90	4019



Aluminum tartlet mould

Aluminum tartlet mould. Temperature resistance : -20 to +350°C. Diameter 112mm and volume 115ml. Packed in carton of 28 bags of 100 pièces (=2800)

Code	
-	4035



Wooden cone

Cone made with pinewood collage sheet. To present products in stalls, for example ham chiffonade. Diameter 7 cm, height 13 cm. Packed in cartons of 1000 cones


Code	
-	25115



Papillotes

White paper papillotes. For lamb, for beef rib or for mutton-ham.

Code	
LAMB X100	25060
BEEF RIB X48	25061
MUTTON - HAM X50	25062



Plastic tumblers 21cl

Transparent or white plastic tumblers. Capacity : 210 ml. Bag of 100.



Code	
TRANSPARENT	6545
WHITE	4071





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Cardboard tumblers 21 cl

Tumbler in white cardboard. Capacity : 210 ml. Bag of 100.



Code	
-	23369



Plastic plate

Round plastic plate, white. Diameter 130 mm. Bag of 250.



Code	
-	4057



Plastic cutlery

White plastic cutlery. Bag of 100.



Code	
KNIFE	4068
FORK	4069
SOUP SPOON	4070
TEA SPOON	4067



White wadding towels

White wadding towels, 2 plies. Dimensions : 300x300 mm. 100 pieces in a bag.

Code	
-	8806



Refreshing towels (x1000)

Refreshing towels. Lemon scent. Box of 1000.

Code	
-	20443



Tape application machine

Machine adapted to all kind of tapes in rolls up to 100 meters and from 50 to 76 mm wide.

Code	
-	89003



PVC tape

PVC tape. Perfectly adapted for a current use to close cartons at room temperature. Thickness : 32 microns. Dimensions : width 48 mm x length 100 meters. 2 colours available : white and havane.

Code	
WHITE	89012
HAVANE	89005



PP tape

PP tape. Ideal for current use to close cartons at room temperature. Thickness : 33 microns. Dimensions : width 50 mm x length 100 meters. 2 colours available : havane and transparent.

Code	
HAVANE	89006
TRANSPARENT	21218



Plastic cloth tape

Plastic cloth tape. Very good adhesion on all supports. Cloth laminated with PE coated with a synthetic rubber adhesive mass. Thickness : 255 microns. Dimensions : width 50 mm x length 50 meters. Colour : grey.

Code	
-	15023



Film for pallet

Film for pallet. Thickness : 15 or 30 microns. Dimensions : width 450 mm x length 300 or 230 m.



Code	
15M 300M	89001
30M 230M	23297





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel

FLY KILLERS



Fly killer DB4000

The fly killer DB4000 provides efficient and clean solution in killing flying insects. The light attracts the insects and the grid kills them. Stainless steel high definition. Supplied with 1 filmed tube (shatterproof) x 40 watts (code BOBET 4487). Coverage : up to 120m². Dimensions : L.760xH.190xD.100 mm. Also available in a bigger model : fly killer DB8000 (code 21860).



Code	
-	21940



Fly killer DB 8000

The fly killer DB8000 provides efficient and clean solution in killing flying insects. The light attracts the insects and the grid kills them. Stainless steel high definition. Supplied with 2 filmed tubes (shatterproof) x 40 watts (code BOBET 4487). Coverage : up to 240m². Dimensions : L.642xH.356xD.170 mm. Also available in a smaller model : fly killer DB4000 (code 21940).



Code	
-	21860



Fly killer Fly in Box

The fly killer Fly in Box is a new concept of fly killer. The emission is at 360°. The light attracts the insects and the grid kills them. Stainless steel finish. Fit with a shatterproof lamp with low consumption (20 watts). Coverage : 50 m². Dimensions : 265x125x260 mm.



Code	
-	21385



Fly killer with glue board

The fly killer with glue board provides efficient and clean solutions in killing flying insects. The light attracts the insects onto the special glue board. High quality, full stainless steel. Fit with two filmed tubes (shatterproof)x40 watts (code Bobet 4487). Coverage : 200 m². Dimensions : 635x155x290 mm. The glue boards (190x585 mm) can then be bought by pack of 6 pieces code Bobet 15371.



Code	
FLY KILLER	15552
BOARD 190X585 /6	15371



Fly killer with glue board ceiling hanging

The fly killer with glue board provides efficient and clean solutions in killing flying insects. The light attracts all flying insects onto the special glue board. High quality, full stainless steel. It has to be hanged from the ceiling. Fit with two filmed tubes (shatterproof) x 36 watts (code Bobet 17556). Coverage : 240 m². Dimensions : 650x170x280 mm. The glue boards (364x598 mm) can then be bought by pack of 6 pieces code Bobet 21384.



Code	
FLY KILLER	17554
BOARD 364X598 /6	21384
UV TUBE	17556



CONTAINERS AND TROLLEYS

Storage tote

Storage tote, the ultimate storage tote box, polyethylene. Sold with its lid. Containers stack securely for efficient use of space. Available in two sizes (53 or 75.5 liters) and in two colours (grey or white).

	Code
53L WHITE	12376
53L GREY	12377
75L WHITE	7567



Rectangular dough pan

Rectangular dough pan (also known as divider pan), white food safe polyethylene. Capacity : 10 or 20 liters.



	Code
10L 530X410X80	8647
20L 530X410X140	20048



Brute square container

Square container, polyethylene. Tough, very resistant in a wide range of applications. Increased capacity for storage or refuse collection. Available in different sizes and different colours. Fits the removable trolley code 7888. Lid separately sold.

	Code
106L WHITE	7882
106L RED	12607
151L WHITE	7883
151L GREY	11443



Brute square lid

Square lid for Brute square container, polyethylene. Available in different dimensions and different colours.

	Code
106L WHITE	7885
106L RED	12608
151L WHITE	7886
151L GREY	11444



Dolly with wheels for Brute square container

Dolly to facilitate easy transportation of Brute square containers, in polyethylene and metal. Heavy-duty wheels give easy mobility. Capacity : 113.4 kg. Dimensions : 43.8x43.8x15.9 cm.

	Code
-	7888





ABATTOIR EQUIPMENT, PACKAGING

BOBET
matériel



Brute round container

Round container, polyethylene. Tough, very resistant in a wide range of applications. Available in different sizes and colours. Fits the removable trolley code 7881 (except for the 38L containers). Lid separately sold.

	Code
38L WHITE	7872
38L GREY	11420
76L WHITE	7873
76L BLUE	12988
76L YELLOW	11423
76L GREY	11422
121L WHITE	7874
121L BLUE	11426
121L YELLOW	11429
121L GREY	11427
121L RED	11428
167L GREY	21061



Brute round lid

Round lid for Brute round container, polyethylene. Available in different dimensions and different colours.

	Code
38L WHITE	7878
38L GREY	11421
76L WHITE	7876
76L BLUE	21813
76L GREY	11424
76L YELLOW	11425
121L WHITE	7877
121L BLUE	21821
121L GREY	11430
121L YELLOW	11432
121L RED	11431
167L GREY	23243



Dolly with wheels for Brute round container

Facilitates easy transportation of Brute round containers, in polyethylene and metal. Heavy-duty wheels give easy mobility. Capacity : 158.8 kg. Dimensions : 45.7x16.8 cm.

	Code
-	7881



Universal round dolly

Universal dolly facilitating barrels transportation, in polyethylene and metal. Heavy-duty wheels give easy mobility. Capacity : 226.8 kg. Dimensions : Diam.59.7x20.6 cm.

	Code
-	11486



Insulated container GN 1/2

Preserve lightweight insulated carrier. Ultra-light solution to safely transport foodstuffs and liquids. Nylon, aluminum and polyethylene. Top load. Dimensions : 48.3x42.6x38.1 cm. Capacity : 3 pans GN 1/2 height 65 mm or 2 pans GN 1/2 height 100 mm.

	Code
-	7570



Ingredient bin

White ingredient bin with a transparent cover for better visibility. Specially designed for storing dry, non-perishable or bulk foods that do not require refrigeration. 4 casters including 2 swivel ones. Dimensions : L.725 x W.410 x H.675 mm. Capacity : 100 liters.



Code
-
23672



Polypropylene cart small model

Utility cart, polypropylene, 3 levels, capacity 90.7 kg. Dimensions: 85.4x47.3x95.9 cm. Color : white

Code
-
11825



Polypropylene cart big model

Utility cart, polypropylene, 3 levels, capacity 135 kg. Dimensions: 103.2x50.8x96 cm. Colour : grey.

Code
-
11715



Transport trolley Triple

Transport trolley, black polyethylene. Wide desk, easy to store and perfectly stable when transporting goods. Handle : 3 positions which insure an easy handling of any goods. Capacity : 113.4 kg. Dimensions : 82.6x52.1 cm.

Code
-
15048





BOBET
matériel

VARIOUS MATERIALS



Waterproof clock D.305 mm

Large clock with hands. Suits for wet and dusty areas. Applications : food industries, swimmingpools, lobbies... Diameter 305 mm, readability : 20 meters.

Code	
-	15187



Mobile step stool

ABS mobile step stool, black and beige. Glides easily on retractable rubber casters. Capacity : 150 kg. Dimensions : Diam.40 x H.33 cm.

Code	
-	11476



Foldable step stool

Polyethylene foldable step stool, black. Easy to carry. Capacity : 150 kg. Dimensions : 48x17xH.63 cm.

Code	
-	11477



All-purpose grabber

All-purpose grabber to easily catch items, waste... on the floor or high. Total height : 1050 mm.

Code	
-	17079



Cigarette waste collector

Cigarette waste collector, black polyethylene and galvanized steel. Combines style and easy maintenance. Waste concealment and odour control.

Code	
-	11491

BOBET MATÉRIEL GENERAL CONDITIONS OF SALE

Applicable from first of Mai 2021

ARTICLE 1 - GENERAL - APPLICATION

These general conditions of sale (GCS) apply to products sold in metropolitan France and overseas by the company Bobet Matériel (referred to below as 'Bobet') to its professional customers and replace previous conditions of sale. These GCS are, therefore, fully applicable to exports.

The act of placing of an order or the conclusion of any sale implies the customer's full and unreserved acceptance of these GCS to the exclusion of any other document, which is, on principle, unenforceable on Bobet.

Bobet reserves the right to refuse to conclude a sale or conclude a sale under conditions that deviate from these conditions in the event of a previous payment incident, the insolvency of the customer, a reduction in the rating given by Bobet's credit insurer or a demand that is abnormal or in bad faith.

The fact that Bobet does not, at any given time, rely on any of the provisions of these GCS cannot be interpreted as a waiver by it from subsequently relying on any of the said provisions.

ARTICLE 2 - OPENING AN ACCOUNT - CONDITIONS

In order to be able to order a product from Bobet, it opens a customer account, for which the customer provides a certain amount of information and official documents (SIRET number, APE [French SIC] code, address, email address, bank account details). The customer is responsible for the information that it sends. Failure to provide this information may make the sale impossible. Any error by the customer resulting in expenditure by Bobet will involve the customer being invoiced for all of such expenditure in euros. Bobet will determine the acceptable level of outstanding customer invoices. The extent of such outstanding amounts may vary over time depending on the data obtained and may be reduced to €0.

ARTICLE 3 - CHARACTERISTICS OF THE PRODUCTS

The products sold by Bobet are specified in the annual catalogue published by the latter. They cover the fields of personal protection, hygiene, brushes, cutlery, tool-making, stainless steel equipment on catalogue or made to measure, maintenance, etc. More details on the specificity and quality of these products is contained in the Bobet catalogue as well as, where applicable, the product sheets provided by Bobet. The products comply with the current standards. They are intended to be used in the context of the customer's professional activity. The customer must be a professional in the use of the products manufactured and/or marketed by Bobet and is solely responsible for the choice of products (properties, function(s), characteristics, dimensions of the products ordered) and, more generally, the suitability of the product ordered to its needs and, if applicable, those of its own customers.

The customer must also be aware of the maintenance rules for the products. If not, the customer must ask Bobet for them.

With regard, in particular, to stainless steel products, Bobet complies with the highest quality standards for raw materials. The stainless steel used is generally of class 1.4307 and, on request, 1.4304, which means that it is nearly impossible for a finished product to be defective.

ARTICLE 4 - ORDERING, EXECUTION AND ACCEPTANCE

Ordering: The customer places an order by email or, as appropriate, telephone to Bobet or during a visit by the latter's sales force. The customer is fully responsible for the information contained in its order. The customer's order is binding on the customer. Bobet systematically produces an order confirmation (OC) which will specify the product, its price, the dimensions if applicable and the delivery time, which remains indicative. That document is sent to the customer by email. If any of the information in the OC differs from any of the information in the customer's order (eg. price, delivery time), the OC legally constitutes a counter-offer, which the customer may accept or refuse. The customer has one month in which to accept such counter-offer. Such period also constitutes the period of validity of Bobet's offer. In the absence of a written response within such period, the order or counter-offer lapses.

The issuing of an OC without any counter-offer constitutes the definitive conclusion of the sales contract.

On-the-spot sales: Bobet also sells its products when its sales trucks are on the road. In such situations, the customer can order and buy the product immediately and take possession of it at the same time. If the Bobet truck does not have the product in stock, the Bobet representative takes the order and it will be for the customer to take possession of the product and pay for it the next time the Bobet truck comes around.

In relation to 'made-to-measure' products: The measurements are in principle taken by a member of Bobet's sales force who is fully competent to do so. The customer may also take the measurements but it will do so under its own responsibility, as Bobet does not assume any obligation to verify or correct such measurements. In the latter situation, the quote will be prepared on the basis of the customer's measurements.

Bobet will organise the taking of such measurements in the context of Bobet's tour schedule. In such situation, there may be some delay between the request for an appointment and the date of the appointment. The week and place of the appointment are specified by Bobet by email. They are firm times and places.

If the customer cancels the appointment before its scheduled date or if the customer is not present for the appointment, Bobet will reschedule the appointment to a later date.

Once the measurements have been taken, Bobet sends a quote based on those measurements. The measurement work is part of Bobet's know-how and prior involvement. For this reason, the measurements are not provided to the customer with the quote so as not to allow the customer to rely on such work for the benefit of another supplier.

It is for the customer to receive the quote, study it and accept it by signing it. If accepted, it sends the accepted quote to Bobet by email accompanied, if applicable, by the requested deposit cheque, which will be immediately banked.

The receipt of the accepted quote and the deposit cheque (if such a deposit is requested) is deemed to be a sale and binds both Parties.

Order fulfillment: The delivery time (if the parties have agreed on deliveries) for standard products is between three and five days from the date of issue of the OC. This period will be several weeks for specific or customised products (see quote or OC).

Delays in delivery of a few days do not entitle the customer to any compensation of any kind whatsoever, unless it can be proven that there was direct and foreseeable damage linked exclusively to the delay in delivery. The products are delivered to the place of delivery that was agreed to by the parties, which is generally stated in the OC. Delivery on time can take place only if the customer is up to date with its obligations towards Bobet, whatever their subject matter.

Receipt of the order: The customer must acknowledge receipt of the order by signing the delivery note. In the event of made-to-measure products, the customer must install the product itself.

In the event of any damage, missing item or non-conformity with the terms of the OC or the accepted quote, the customer must state its PRECISE and undisputable reservations on the delivery note and send a registered letter with acknowledgement of receipt to any carrier and Bobet within three (3) days following receipt of the product. The reservations must be accompanied by the corresponding proof. If these conditions are not respected, the products will be irrefutably deemed to be in conformity. Bobet will process the complaint within two weeks of receiving it. In the absence of a response within this period, the complaint will be deemed to have been rejected. Bobet informs its customers that each delivery is strictly monitored in order to exclude all risks of missing items or non-conformities. Stainless steel products leave Bobet's warehouses in perfect condition.

Products that have been the subject of reservations can be returned to Bobet only in accordance with the latter's return procedure, after prior agreement from the customer service department, which will specify its terms, and the signing of the return form by the customer and the carrier. Failure to comply with these rules will result in the returned products being refused.

In the event of agreement on the principle of a return, the products must be returned by the customer, under its own responsibility, in their original condition and packaging and as soon as possible, ie, at the latest within one month of their delivery. In all situations, the customer undertakes to allow Bobet to access its site in order to verify the non-conformity or hidden defect. If Bobet confirms the defect in quality and/or conformity, it will deliver a new product, the defective product being returned to it. The customer will be invoiced for any damage to the product. Lastly, it should be noted that no product will be taken back, exchanged or reimbursed in the event of any change in French or supranational legislation that makes the product unfit for sale or use. Penalties: Bobet refuses any principle of penalties.

Special orders: For products that are not included in Bobet's catalogue or that Bobet cannot manufacture, Bobet will order the product from its manufacturer. Consequently, the customer undertakes to take delivery and pay the price. There can be no returns or items taken back.

ARTICLE 5 - WARRANTY

The customer benefits from a warranty of conformity and against hidden defects under the conditions defined by law. However, the warranty of conformity ceases on first use of the product. For made-to-measure products, the customer is responsible for the place where the product is installed, the installation of the product itself and any damage suffered by the product during such installation.

Reminder: the products marketed by Bobet are mainly intended for the craft and food industries and are, therefore, subject to conditions of use that can be extreme, which can result in a very short product life.

Conditions of application of the warranty: The warranty covers products that are correctly maintained according to the recommendations for use and maintenance specified by Bobet and strictly used for their intended purpose.

Products with motors are subject to the manufacturer's warranty. At Bobet's sole discretion, the warranty extends to the replacement of all or part of the product that Bobet acknowledges is defective, with the exception of worn parts, or by the issuing of a credit note if the product is not damaged and is returned in its original packaging.

The customer can benefit from this warranty only if the price of the product has been paid in full. If Bobet needs to go to the customer's premises and the product is found not to be defective, the customer may be liable to pay compensation for the unjustified visit, which will be payable immediately.

Scope: The warranty covers only tangible, consequential and foreseeable damage relating to a proven defect in the product, excluding non-consequential, intangible, damage.

In any event, the customer is solely liable for any damage that may be caused by the behaviour of the product or that the latter may suffer. This particularly applies to dangerous products (Matador, knives, etc).

Exclusions: The warranty cannot apply specifically to: products that do not conform to their intended purpose, products that have not been installed in accordance with the instructions and standard industry practice by a professional, products that have not been used in a reasonable manner, products that have been modified by the customer or third parties, etc.

Implementation: Product returns are the subject of a 'provisional return note' until Bobet can assess the reality of the incident presented by the customer. In such situation, the customer remains the owner of the products and the risks are temporarily transferred to Bobet.

Whether the product is covered by the warranty depends on the result of the assessment. If not covered, Bobet will refer the customer to its after-sales service conditions. It should be noted that after-sales service is a separate legal operation the conditions of which must be accepted by the customer.

ARTICLE 6 - PRICES AND PAYMENT

The price of the product is that which applies at the time of the order. It is exclusive of VAT, ex Champagne. It is free of charge from a minimum order of €450 excluding VAT. There is no minimum transport fee if delivered by the sales force.

The price is payable according to the following conditions:

- for all account openings, the price is payable in cash and before delivery. Bobet requests a pro-forma invoice;

- otherwise and except in the event of a risk that the customer is insolvent or in the situations referred to in Article 1, the payment period is 30 days net from the date of invoice;

For an order of more than €10,000 excluding VAT (sales in France), the customer must pay a part-payment of 30% of the price all taxes included before delivery of the goods.

Bobet reserves the right to send invoices by email, which the customer accepts.

Payment means the banking of the sums due and not the provision of the means of payment. No guarantee retention is allowed. No discount is granted for early payment.

In the event of non-payment on the agreed date, the customer will owe late-payment penalties calculated on the basis of a rate equal to three times the legal interest rate. In addition, the customer will owe an indemnity relating to the processing of the payment incident of €40 excluding VAT. In addition, the customer will owe a damages and interest penalty that is equal to 15% of the outstanding price, such penalty being a minimum of €100. Lastly, Bobet may suspend and/or cancel pending orders and demand payment of all sums, including those not yet due.

Any deduction is deemed to be a payment incident. Similarly, no set-off can be carried out between reciprocal debts unless the debt held by the customer over Bobet has first been accepted in writing by the latter. Under no circumstances can a dispute allow the customer to suspend payment.

The customer must reimburse all costs incurred by Bobet for the recovery of unpaid products and the contentious recovery of the sums due, including lawyers' and legal officers' fees. In addition to these costs, the customer will be liable for a fixed sum of €150 for the contentious management of the payment default.

ARTICLE 7 - RETENTION OF TITLE, TRANSFER OF RISK AND OTHER PROVISIONS

THE PRODUCTS SOLD BY BOBET ARE SOLD SUBJECT TO A RESERVATION OF TITLE, MAKING THE TRANSFER OF OWNERSHIP TO THE CUSTOMER SUBJECT TO FULL PAYMENT OF THE PRICE IN PRINCIPAL AND ACCESSORIES, INCLUDING IN THE EVENT OF CREDITOR PROCEEDINGS AGAINST THE CUSTOMER.

Nevertheless, the risks relating to a product, ie, the damage that it may cause to goods or personal injury to persons or the damage that it may suffer, are transferred to the customer when the customer takes possession of it.

If the customer has resold the product before full payment of the purchase price, regardless of whether or not the customer is subject to creditor proceedings or that company voluntary arrangement, the customer acknowledges that the debt owed to Bobet for the price of the product will be applied to the price paid or to be paid by the subsequent purchaser of the product. In such situation, the customer expressly authorises Bobet to claim and obtain the price of the product from the subsequent purchaser and the customer is prohibited from at the same time claiming the payment of such price from the latter.

In the event of late payment of all or part of the price of more than 30 days in relation to the initially agreed payment date, Bobet may take back the product sold by any means, at its convenience and at the expense and risk of the customer, which the latter expressly accepts. Bobet will take a minimum of precautions when taking back the product. Nevertheless, if the taking-back operation damages the structure or the item to which the product is linked, the customer is prohibited from bringing any liability claims against Bobet and guarantees the acceptance of this principle by its own customer.

ARTICLE 8 - INTELLECTUAL PROPERTY

Bobet's trademarks, patents, designs, models and copyrights are its exclusive property and a sale does not constitute a licence to use any of these rights. The plans and research carried out by Bobet for the production of its products are at all times its property and are the subject of an intellectual property and/or an industrial property right that the customer undertakes not to infringe. Lastly, the customer is prohibited from removing, modifying and/or adding any distinctive signs to the products.

ARTICLE 9 - FORCE MAJEURE AND OTHER CIRCUMSTANCES

If a force majeure event occurs, Bobet can, at its discretion, suspend the performance of all or part of its obligations or simply terminate any pending contract or contracts without the customer being able to claim any compensation. A force majeure event is any unforeseeable, unavoidable or external event, these three characteristics being alternative, and, more generally, any event recognised as such by the law or the case law.

ARTICLE 10 - REFERENCES

Unless the customer decides otherwise by registered letter with acknowledgement of receipt, the latter expressly authorises Bobet to refer to its status as a customer of Bobet, in particular in its commercial and promotional documents or in the context of a response to a call for tenders.

ARTICLE 11 - PERSONAL DATA

For the purposes of managing orders and the monitoring of the contractual relationship, Bobet processes the personal data of individuals who are its contacts, whether customer employees, prospect managers and contacts. Such processing is carried out on the basis of the application of these GCS and compliance with Bobet's legal obligations (in particular in tax matters). No personal data will be transferred outside the European Union. Any subcontractors used by Bobet to process the personal data of its customer contacts (eg, a carrier, IT service provider, etc) will not transfer the data to a country outside the European Union. The data may be sent to the authorities (DGCCRF [Department of Competition, Consumers and Repression of Fraud], CNIL [National Data Protection Commission], tax authorities, etc) or a court in the event of proceedings.

The customer undertakes to inform Bobet of any updates to the personal data of the persons and/or employees concerned and personally inform each of those persons of the provisions of this clause. The persons concerned have the right to access, modify, limit and oppose the processing of their personal data by sending an email to the following address: rgpd@bobet-materiel.com.

The persons concerned have the right to lodge a complaint about the processing of their personal data by Bobet with the CNIL. Any person whose personal data is collected can define general or specific instructions on the retention, deletion and communication of their personal data after their death. The specific instructions can be registered with the data controller and general instructions can be registered with a CNIL-certified, trusted, digital third party. General or specific instructions can be modified or deleted at any time.

Bobet undertakes to implement appropriate technical measures to guarantee the security and confidentiality of personal data. Bobet undertakes to keep the personal data of its customers' and prospects' contacts for a period not exceeding that necessary to achieve the purposes for which they were collected or processed and, in any event, for a maximum period of 3 (three) years from the last order of products by the customer or the last contact with the prospect. Personal data can, nevertheless, be kept for a longer period of time in order to comply with Bobet's legal obligations, in particular tax obligations.

ARTICLE 12 - APPLICABLE LAW - ATTRIBUTION OF JURISDICTION

All sales concluded by Bobet are exclusively subject to French law, excluding application of the Vienna Convention. The Parties exclude the application of Art. 1195 of the Civil Code on unforeseen circumstances and Arts. 1219, 1220 of the Civil Code.

The Le Mans Tribunal de Commerce [Commercial Court] has sole jurisdiction in the event of any dispute that relates to the formation, performance or termination of contracts concluded by Bobet with its customers, even in the event of international sales, summary proceedings, incidental applications, multiple defendants or calls on guarantees, notwithstanding any clause to the contrary in the customer's commercial or contractual documents.

BOBET *matériel*

RN 23 - 72470 Champagné (France)
Tel. (+33)2 43 74 33 74
export.bobet@bobet-materiel.com

Shop now on

www.bobet-materiel.com

You can also find us on our social networks

